Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

30 DEC 1964

26 NOV 1964

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF 96
IDENTIFICATION NUMBER

COMMANDED BY

LIEUTENANT JAMES R. WILLIAMS, U. S. N.

Attached to
- _____ Division,
- SERVICE SQUADRON FIVE Squadron,
- _____ Flotilla,
- SERVICE FORCE U.S. PACIFIC Fleet,
- FOURTEENTH Naval District,

Commencing +10 1 NOVEMBER, 1964,
(zone time and date)

at U.S. NAVAL STATION, PEARL HARBOR, HAWAII,
(location)

and ending +10 30 NOVEMBER, 1964,
(zone time and date)

at U.S. NAVAL STATION, PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19____
(Day) (Date) (Month)

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Sunday (Day) 1 (Date) November (Month), 1964

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	SCT	2990	78	72	3	2000	Cu			
02	040	3	10	SCT	2991	78	72	5	2000	Cu			
03	040	6	10	SCT	2991	78	72	5	2000	Cu			
04	040	6	10	SCT	2990	78	72	5	2000	Cu			
05	040	6	10	SCT	2990	78	72	5	2000	Cu			
06	040	6	10	SCT	2990	76	72	5	2000	Cu			
07	040	6	10	SCT	2990	76	72	5	2000	Cu			
08	030	4	10	SCT	2990	79	75	5	2000	Cu			
09	030	4	10	SCT	2991	80	75	5	2000	Cu			
10	020	4	10	SCT	2992	80	76	5	2000	Cu			
11	010	4	10	SCT	2993	83	76	5	2000	Cu			
12	040	1	10	SCT	2992	85	77	5	2000	Cu			
13	040	2	10	BKN	2984	85	77	8	2000	Cu			
14	050	2	10	BKN	2988	86	77	8	2000	Cu			
15	050	2	10	BKN	2987	86	77	8	1800	Cu			
16	050	2	10	OVC	2987	86	75	10	1800	Cu			
17	050	2	10	OVC	2988	85	75	10	1800	Cu			
18	050	2	10	OVC	2989	85	75	10	1800	Cu			
19	050	2	10	OVC	2989	85	73	10	1800	Cu			
20	050	2	10	OVC	2990	83	73	10	1800	Cu			
21	050	2	10	OVC	2991	80	73	10	1800	Cu			
22	050	2	10	OVC	2992	77	73	10	1800	Cu			
23	050	2	10	OVC	2992	76	73	10	1800	Cu			
24	050	2	10	OVC	2993	76	73	10	1800	Cu			

POSITION	ZONE	TIME
0800		
L enpsit		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to in berth Sierra Sixteen Forward. (S-16-F) U.S. Naval Base Pearl Harbor Hawaii with standard mooring lines doubled. Condition yoke modified. in set. Receiving electrical, potable water, and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet & district and yard craft. SOPA is CinCPacFlt.

Ens C. P. McKenzie, USNR

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: None.

Ens C. P. McKenzie USNR

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Stgs R S Nason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Sunday (Day) 1 (Date) Nov (Month) 19 64

0800-1200 Moored As Before. 1000 Made Daily Inspection of Magazines: Conditions Normal.

LTJG LE Horton USN

1200-1600 Moored As Before.

LTJG LE Horton USN

1600-2000 Moored As Before 1800 Set Modified Material Condition Yoke

LTJG LE Horton USN

2000-2400 Moored As Before.

LTJG LE Horton USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE MONDAY 2 NOV. 19 64
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	1	10	R	29.91	76	73	10	1000	St			
02	040	1	10	L	29.90	75	73	10	1000	St			
03	040	1	10	OVC	29.90	75	73	10	1000	St			
04	040	1	10	OVC	29.90	76	73	10	2000	Cu			
05	040	1	10	OVC	29.88	76	73	10	2000	Cu			
06	040	1	10	OVC	29.91	76	73	10	2000	Cu			
07	040	2	10	BKN	29.91	75	72	8	2000	Cu			
08	040	2	10	BKN	29.93	80	73	8	2000	Cu			
09	040	1	10	BKN	29.94	82	74	8	2000	Cu			
10	050	1	10	Sct	29.93	85	74	5	2000	Cu			
11	050	1	10	Sct	29.90	85	76	5	2000	Cu			
12	050	1	10	Sct	29.88	85	76	4	2000	Cu			
13	050	1	10	Sct	29.86	87	76	5	2000	Cu			
14	050	1	10	Sct	29.86	88	77	5	2000	Cu			
15	060	2	10	Sct	29.86	88	77	5	2000	Cu			
16	060	2	10	Sct	29.88	86	76	5	2000	Cu			
17	060	2	10	Sct	29.90	84	75	5	2000	Cu			
18	060	2	10	Sct	29.91	83	74	5	2000	Cu			
19	060	1	10	Sct	29.92	82	74	5	2000	Cu			
20	060	1	10	BKN	29.92	81	74	6	2000	Cu			
21	060	1	10	BKN	29.93	80	74	7	2000	Cu			
22	060	1	10	BKN	29.93	80	74	7	2000	Cu			
23	060	2	10	BKN	29.93	79	73	8	2000	Cu			
24	060	2	10	BKN	29.93	77	72	8	2000	Cu			

POSITION	ZONE	TIME
0800		
L import		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 97

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH SIERRA SIXTEEN (S-16), US SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

LTJG LE Horton USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE.

LTJG LE Horton USN

APPROVED: Lt. James R. Wilkinson U.S.N. COMMANDING

EXAMINED: Lt(jg) D S Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 2 November (Date) (Month) 19 64

08-12 moored as before. 0845 made daily inspection of magazines. Conditions: Normal.

CWO J.L. Hollis, USN

12-16 moored as before.

CWO J.L. Hollis. USN

16-20 moored as before. 1800 Set material condition Yoke (Modified).

CWO J.L. Hollis. USN

20-24 moored as before.

CWO J.L. Hollis, USN

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Lt(jg) R.S. Nason, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ~~PBPAKI~~ (ATF-96) ZONE DESCRIPTION +10-W DATE Tuesday (Day) 3 (Date) November (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	1	10	BKN	2994	83	73	8	2000	Cu.			
02	060	1	10	BKN	2993	79	73	8	2000	Cu			
03	060	1	10	BKN	2993	79	73	8	2000	Cu			
04	060	1	10	BKN	2993	79	73	8	2000	Cu			
05	060	2	10	BKN	2994	79	73	8	2000	Cu			
06	060	2	10	SCT	2995	77	75	3	1800	Cu			
07	060	1	10	SCT	2997	75	71	2	2000	Cu			
08	040	2	10	SCT	2997	80	74	2	2000	Cu			
09	040	2	10	SCT	2997	81	74	2	2000	Cu			
10	040	2	10	SCT	2997	84	74	2	2000	Cu			
11	040	2	10	SCT	2997	85	75	2	2000	Cu			
12	040	2	10	SCT	2995	85	74	2	2000	Cu.			
13	040	3	10	SCT	2992	87	74	2	2000	Cu			
14	040	3	10	SCT	2990	88	76	2	2000	Cu			
15	045	3	10	SCT	2988	88	76	2	2000	Cu			
16	045	3	10	SCT	2988	88	76	2	2000	Cu			
17	045	3	10	SCT	2989	88	78	2	2000	Cu			
18	045	3	10	SCT	2989	88	78	2	2000	Cu			
19	045	3	10	SCT	2992	87	76	2	2000	Cu			
20	045	3	10	SCT	2995	80	75	2	2000	Cu			
21	050	5	10	SCT	2996	80	75	2	2000	Cu			
22	050	5	10	SCT	2996	78	74	4	2000	Cu			
23	040	4	10	RS	2996	78	74	5	2000	Cu			
24	040	4	5	RS	2996	78	74	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L import		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

0

FUEL CONSUMED 0000–2400

0

REMARKS

00-04 moored Starboard side to Berth Sierra Sixteen (S-16) forward with standard mooring lines doubled. Receiving potable water, Electric power and telephone service from the pier. Material condition yoke (modified). Det. Ships present include various units of the U.S. Pacific Fleet, District, and Small Craft. S.O.P.A. is Cin Cpac Flt.

CWO J.L. Hollis, USN

04-08 moored as before. ~~0622 morning draft fwd. 11'-0" aft. 14'-3".~~ 0745 mustered the crew at Quarters. Absentees: none.

CWO J.L. Hollis, USN

APPROVED: Lt. James R. Mathison U.S.N. COMMANDING

EXAMINED: Stgt RS Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 3 (Date) November (Month) 1964

08-12 Moored before. 0819 Shifted from shore power to ships power. 0845 Set the Special Sea and Anchor Detail. Captain and the Navigator are on the bridge. Lt(jg) A.S. Wilson has the Conn, O.O.D. has the deck. 0915 Underway from Sierra Sixteen, ~~aft forward~~, JGV shifting berths to Sierra Eighteen, Captain in accordance with verbal order from Port Services Officer. 0928 Maneuvering various courses and speeds to clear the berths. 0929 Steering various courses and speed to assigned berth. 0935 Moored starboard side to berth Sierra Eighteen, aft, U.S. Submarine Base, Pearl Harbor, Hawaii with the standard mooring lines doubled. 0944 Secured the Special Sea and Anchor Detail. 1000 Shifted from ship to shore power. 1120 Made daily inspection of magazines; Conditions Normal.

Ltjg J.M. Hall, USNR

12-16 Moored before. 1348 Commenced Feeling from the pier. Draft: fwd. 14'8", aft. 15'6". 1527 Ceased from taking on fuel. Draft: fwd. 13'11", aft 16'6".

Ltjg J.M. Hall, USNR

16-20 Moored before. 1800 Set Hotel Material condition ~~Zebra~~ Yoke (modified)

Ltjg J.M. Hall, USNR

20-24 Moored before.

Ltjg J.M. Hall, USNR

APPROVED: Lt James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg R.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Wednesday (Day) 4 (Date) November (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	SCT	29.96	78	74	4	2000	Cu			
02	040	4	10	SCT	29.95	77	73	4	2000	Cu			
03	040	4	10	SCT	29.92	77	73	4	2000	Cu			
04	040	4	10	SCT	29.90	78	74	4	2000	Cu			
05	050	6	10	SCT	29.90	78	74	4	2000	Cu			
06	050	5	10	SCT	29.93	78	73	3	2000	Cu			
07	050	5	10	SCT	29.93	78	73	3	2000	Cu			
08	050	3	10	SCT	29.94	80	74	3	2000	Cu			
09	065	4	10	SCT	29.99	84	74	3	2000	Cu			
10	065	4	10	SCT	29.99	85	75	3	2000	Cu			
11	050	3	10	SCT	29.99	86	75	3	2000	Cu			
12	090	8	10	BKN	29.96	87	77	6	1800	Cu			
13	060	6	10	L	29.95	87	77	7	1800	Cu			
14	060	5	10	L	29.93	85	77	7	1800	Cu			
15	090	8	10	BKN	29.94	85	76	7	1800	Cu			
16	090	8	10	BKN	29.94	88	76	7	1800	Cu			
17	090	8	10	BKN	29.94	83	75	7	1800	Cu			
18	080	8	10	BKN	29.94	83	75	7	1800	Cu			
19	080	8	10	BKN	29.98	83	75	7	1800	Cu			
20	090	5	10	BKN	29.99	81	72	7	1800	Cu			
21	090	5	10	BKN	29.99	81	72	5	1800	Cu			
22	090	5	10	BKN	29.99	80	71	5	1800	Cu			
23	090	5	10	BKN	29.99	80	70	5	1800	Cu			
24	090	5	10	SCT	29.99	80	70	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L import		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 Moored starboard side to berth Sierra Eighteen, aft, U.S. Submarine Base, Pearl Harbor, Hawaii, with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving Ship's services from the pier. Ship's present include various units of the U.S. Pacific Fleet, foreign, domestic and ~~small craft~~. 150 AA is Civ Acft.

Lt(jg) J.O. Hall, USNR

04-08 Messdeck below. 0745 Mustered the crew at quarters. Absentees: None.

Lt(jg) J.O. Hall, USNR

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Lt(jg) R.D. Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Aloraki (AGF-96) Wednesday (Day) 4 (Date) November (Month), 19 64

0800-1200 Moored as before 0900 Made daily inspection of the magazines. Conditions: Normal.

Ens C. P. McKenzie, USNR

1200-1600 Moored as before.

Ens C. P. McKenzie, USNR

1600-2000 Moored as before. 1800 Set condition zebra modified.

Ens C. P. McKenzie, USNR

2000-2400 Moored as before.

Ens C. P. McKenzie, USNR

APPROVED: Lt. James R. Schiliro U.S.N. COMMANDING

EXAMINED: Lieg R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Arnold (AGF-96) ZONE DESCRIPTION +10W DATE Thursday 5 November 19 54
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	5	10	BKN	29.94	78	71	5	2000	Cu			
02	070	5	10	BKN	29.97	78	72	4	2000	Cu			
03	065	5	10	BKN	29.96	78	72	4	2000	Cu			
04	065	5	10	BKN	29.96	76	71	4	2000	Cu			
05	065	5	10	BKN	29.95	78	71	4	2000	Cu			
06	065	5	10	BKN	29.96	79	72	4	2000	Cu			
07	060	4	10	BKN	29.96	79	72	8	2000	Cu			
08	060	4	10	BKN	29.99	80	74	8	2000	Cu			
09	060	5	10	SCT	29.99	84	76	5	2000	Cu			
10	060	5	10	SCT	29.99	84	77	5	2000	Cu			
11	060	5	10	SCT	29.99	85	76	5	2000	Cu			
12	060	5	10	BKN	29.99	85	76	7	2000	Cu			
13	060	5	10	BKN	29.99	86	76	7	2000	Cu			
14	060	5	10	R	29.99	85	74	10	1500	Cu			
15	060	3	10	R	29.98	84	73	10	1500	Cu			
16	060	3	10	R	29.94	80	76	10	1500	Cu			
17	060	3	10	R	29.94	80	76	10	1500	Cu			
18	060	3	10	R	29.94	80	76	10	1500	Cu			
19	060	3	10	R	29.94	80	76	10	1500	Cu			
20	060	2	10	R	29.93	80	24	10	1500	Cu			
21	060	2	10	R	29.93	78	75	10	1500	Cu			
22	060	2	10	R	29.93	78	75	10	1500	Cu			
23	060	2	10	R	29.93	79	74	10	1500	Cu			
24	060	2	10	SCT	29.93	79	74	10	1500	Cu			

POSITION	ZONE	TIME
0800		
L export		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to in berth Sierra Eighteen off US Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition yoke modified in set I Receiving electrical, potable water, and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and yard craft. SOPA is CinCPacFlt

Ens C.P. McKenzie, USNR

04-08 Moored as before 0745 Mustered the crew at quarters. Absentees: None.

Ens C.P. McKenzie, USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: Lt(jg) R.D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 5 (Date) Nov (Month), 19 64

Ø8-12 MOORED AS BEFORE. Ø944 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL

LTJG JE Horton USN

12-16 MOORED AS BEFORE. 1240 SET SPECIAL SEA AND ANCHOR DETAIL. 1243 CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN 1257 UNDERWAY FROM BERTH SIERRA EIGHTEEN AFT IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL TO SHIFT BERTHS OUT BOARD OF USS TAWAKONI (ATF-114) IN BERTH SIERRA EIGHTEEN FWD. MANEUVERING AS NECESSARY TO GO ALONGSIDE USS TAWAKONI (ATF-114). 1302 MOORED OUT BOARD OF USS TAWAKONI (ATF-114) IN BERTH SIERRA EIGHTEEN FWD. WITH STANDARD MOORING LINES DOUBLED. US SUBMARINE BASE, PEARL HARBOR, HAWAII.

LTJG JE Horton USN

16-2Ø MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LTJG JE Horton USN

2Ø-24 MOORED AS BEFORE.

LTJG JE Horton USN

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Lt(jg) D S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 DATE Friday (Day) 6 (Date) Nov (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	2	10	OVC	2991	76	70	10	3000	Cu			
02	050	2	10	OVC	2992	76	70	10	3000	Cu			
03	050	2	10	BKN	2992	77	70	8	3000	Cu			
04	050	2	10	BKN	2992	77	70	8	3000	Cu			
05	050	2	10	BKN	2991	77	70	8	3000	Cu			
06	050	2	10	BKN	2993	77	70	8	3000	Cu			
07	020	2	10	BKN	2993	78	71	7	3000	Cu			
08	030	2	10	BKN	2993	78	70	7	3000	Cu			
09	030	2	10	BKN	2993	78	71	7	3000	Cu			
10	030	2	10	BKN	2994	82	72	7	3000	Cu			
11	030	4	10	BKN	2992	83	73	7	3000	Cu			
12	030	4	10	BKN	2991	86	73	7	3000	Cu			
13	030	4	10	BKN	2989	88	73	7	3000	Cu			
14	030	4	10	BKN	2988	88	73	7	3000	Cu			
15	040	4	10	BKN	2988	87	73	7	3000	Cu			
16	040	4	10	BKN	2988	84	73	7	3000	Cu			
17	040	4	10	BKN	2986	80	73	6	3000	Cu			
18	040	4	10	Sct	2986	80	73	5	3000	Cu			
19	040	4	10	Sct	2986	80	72	5	3000	Cu			
20	040	4	10	Sct	2988	80	72	5	3000	Cu			
21	040	4	10	Sct	2990	80	72	5	3000	Cu			
22	040	4	10	Sct	2992	78	72	4	3000	Cu			
23	040	4	10	Sct	2992	78	72	4	3000	Cu			
24	040	4	10	Sct	2991	77	71	4	3000	Cu			

POSITION	ZONE	TIME
0800		
L Unpost		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0000-0400 Moored Starboard Side To in Berth Sierra Eighteen Fwd, Out Board of USS Tawakoni (ATF-114) U.S. Submarine Base Pearl Harbor, Hawaii with Standard Mooring Lines Doubled. Modified Material Condition Yoke is Set. Receiving Fresh Water, Electrical Power, And Telephone Service From The Pier. Ships Present Include Various Units of US Pacific Fleet, Yard, And District Craft. SOPA is CinCPacFlt.

LTJG J E Horton USN

0400-0800 Moored As Before. 0745 Mustered Crew At Quarters: Absentee: None.

LTJG J E Horton USN

APPROVED:

Lt. James R. Holloman U.S.N. COMMANDING

EXAMINED:

Lt(jg) R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki CATF-96 Friday (Day) 6 (Date) Nov (Month) 19 64

08-12 Moored as before. 1009 Made daily inspection of magazine, conditions normal. Conducted weekly test of magazine sprinkling system. Test satisfactory

Stgy DS Mason, USN

12-16 Moored as before

Stgy DS Mason, USN

16-20 Moored as before. 1800 Set material condition Yoke modified.

Stgy DS Mason USN

20-24 Moored as before

Stgy DS Mason, USN

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Stgy DS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE SATURDAY 7 Nov (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	5	10	Sct	2990	75	70	4	2000	Cu			
02	010	3	10	Sct	2989	75	70	4	2000	Cu			
03	010	2	10	Sct	2988	75	70	4	2000	Cu			
04	040	2	10	Sct	2987	76	71	4	2000	Cu			
05	040	2	10	Sct	2988	76	71	4	2000	Cu			
06	040	2	10	Sct	2989	75	69	4	2000	Cu			
07	040	2	10	Sct	2990	75.5	70	4	2000	Cu			
08	040	2	10	Sct	2992	77	72	5	2000	Cu			
09	040	2	10	Sct	2992	77	72	5	2000	Cu			
10	040	2	10	Sct	2992	80	74	5	2000	Cu			
11	040	2	10	Sct	2992	81	72	5	2000	Cu			
12	040	2	10	Sct	2990	82	73	5	2000	Cu			
13	050	2	10	Sct	2988	81	74	5	2000	Cu			
14	050	2	10	Sct	2988	81	74	5	2000	Cu			
15	050	2	10	Sct	2988	81	73	5	2000	Cu			
16	050	2	10	Sct	2986	83	73	4	2000	Cu			
17	050	2	10	Sct	2986	84	73	4	2000	Cu			
18	050	2	10	Sct	2987	83	72	4	2000	Cu			
19	050	2	10	Sct	2988	80	73	4	2000	Cu			
20	050	2	10	Sct	2990	79	73	4	2000	Cu			
21	050	3	10	Sct	2991	78	73	4	2000	Cu			
22	050	3	10	Sct	2992	77	73	4	2000	Cu			
23	050	3	10	Sct	2993	76	73	4	2000	Cu			
24	050	3	10	Sct	2994	77	73	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L impal		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to outboard USS Tawakoni (ATF-~~96~~ 114) berth S-18 fwd. U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines double. Material condition Yoke Modified is set. Ships present include various units of the U.S Pacific Fleet, yard and district craft. SOPA is CINCPACFLT. Receiving fresh water, electrical and telephone service from the pier. Stgj RS Mason. USN

04-08 Moored as before. 0745 Mustered the crew on station absentees: none.

Stgj RS Mason. USN

APPROVED: Lt. James L. Williams U.S.N. COMMANDING

EXAMINED: Stgj RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 7 ~~October~~ November (Date) (Month), 19 64 JN

0812 Moored Before. 0845 Made daily inspection of Magazines; Conditions normal.

Ltjg J.M. Hall, USNR

1216 Moored Before.

Ltjg J.M. Hall, USNR

1620 Moored Before. 1800 Set Material Condition Yoke (Modified)

Ltjg J.M. Hall, USNR

2024 Moored Before. 2347 Shifted Power from Shore to Ships Power.

Ltjg J.M. Hall, USNR

APPROVED: EXAMINED:

U.S. James L. Williams U.S.N. COMMANDING Ltjg D.A. Rosen U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION ~~H-W~~ DATE Sunday (Day) 8 (Date) November (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	5	10	BKN	29.92	75	70	5	1800	Cu			
02	045	5	10	BKN	29.91	78	68	5	1800	Cu			
03	045	5	10	BKN	29.89	78	68	5	1800	Cu			
04	050	5	10	BKN	29.88	77	68	5	1500	Cu			
05	050	5	10	BKN	29.88	77	68	5	2000	Cu			
06	045	5	10	BKN	29.88	77	68	5	2000	Cu			
07	045	4	10	SCT	29.94	74	70	5	2000	Cu			
08	045	3	10	SCT	29.94	74	70	5	2000	Cu			
09	045	3	10	SCT	29.94	74	70	5	2000	Cu			
10	045	3	10	R	29.94	74	70	5	2000	Cu			
11	045	3	10	R	29.94	74	70	5	2000	Cu			
12	045	4	10	R	29.93	85	73	3	2000	Cu			
13	045	4	10	R	29.93	85	73	3	2000	Cu			
14	045	5	10	R	29.94	86	74	3	2000	Cu			
15	045	5	10	SCT	29.94	86	74	3	2000	Cu			
16	045	5	10	SCT	29.92	86	73	2	2000	Cu			
17	045	5	10	BKN	29.92	83	72	5	2000	Cu			
18	050	5	10	BKN	29.94	80	71	7	2000	Cu			
19	050	5	10	BKN	29.98	79	70	8	2000	Cu			
20	040	5	10	BKN	29.98	78	70	8	2000	Cu			
21	040	5	10	BKN	29.99	77	70	7	2000	Cu			
22	040	7	10	L	29.99	75	70	7	2000	Cu			
23	040	10	10	R	29.99	75	70	7	2000	Cu			
24	040	7	10	R	29.99	76	71	10	2000	Cu			

POSITION	ZONE	TIME
0800		
L report		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

0

FUEL CONSUMED 0000–2400

0

REMARKS

00-04 Moored starboard side to USS TAWAKONI (ATF-114) at berth Sierra Eighteen, forward U.S. Submarine Base, Pearl Harbor, Hawaii; with standard mooring lines doubled. Material condition Yoke (modified) in effect. Ships present include moored units of the U.S. Pacific Fleet, foreign domestic and squadron. (00-04 is CIVIL TWILIGHT. 0005 Commence heaving up anchor while USS TAWAKONI (ATF-114) got underway. 0010 USS TAWAKONI (ATF-114) underway in formation as assigned. 0030 Moored starboard side to berth Sierra Eighteen, forward with standard mooring lines doubled. 0038 Shifted to shore power.

Ltjg J.A. Hall USNR

04-08 Moored as before. 0745 Mustered the crew on station. All present and accounted for.

Ltjg J.A. Hall USNR

APPROVED:

Lt. James L. Tabellion U.S.N. COMMANDING

EXAMINED:

Ltjg R.S. Rosen U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Alnaki (AF-96) Sunday (Day) 8 (Date) November (Month) 19 64

~~0000~~

0800-1200 Moored as before. 0930 Made daily inspection of ~~the~~ magazines. Conditions: Normal

Ens C.P. McKenzie, USNR

1200-1600. Moored as before.

Ens C.P. McKenzie, USNR

1600-2000. Moored as before. 1800 set condition yoke modified.

Ens C.P. McKenzie, USNR

2000-2400 Moored as before.

Ens C.P. McKenzie, USNR

APPROVED: Lt. James L. Williams U.S.N. COMMANDING

EXAMINED: Stgs DS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Monday (Day) 9 (Date) November (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	7	10	R	29.99	76	71	10	2000	Cu			
02	040	7	10	R	29.99	76	71	10	2000	Cu			
03	040	7	10	R	29.99	75	70	10	2000	Cu			
04	040	0	10	R	29.99	68	70	10	1500	Cu			
05	040	0	10	R	29.99	68	71	10	1500	Cu			
06	040	3	10	BKN	29.99	69	73	10	1500	Cu			
07	040	3	10	BKN	29.99	69	73	10	1500	Cu			
08	040	3	10	BKN	29.99	80	73	8	2000	Cu			
09	045	17	10	SCT	29.99	82	76	4	2000	Cu			
10	060	25	10	SCT	29.99	83	76	3	2000	Cu	80	090	7
11	060	27	10	SCT	29.99	78	75	4	2000	Cu	80	090	8
12	060	22	10	SCT	29.99	80	75	4	2000	Cu	80	090	8
13	065	24	10	SCT	29.97	80	76	4	2000	Cu	80	090	8
14	065	23	10	SCT	29.95	82	76	4	2000	Cu	80	090	8
15	055	27	10	SCT	29.93	82	75	4	2000	Cu	80	090	8
16	070	25	10	SCT	29.91	79	75	4	2000	Cu	80	090	8
17	070	26	10	SCT	29.91	79	73	4	2000	Cu	80	090	8
18	055	27	10	SCT	29.90	76	70	5	2000	Cu	80	090	8
19	060	27	10	SCT	29.93	75	70	5	2000	Cu	80	090	8
20	075	29	10	BKN	29.95	75	70	8	2000	Cu	80	090	8
21	075	27	10	SCT	29.97	75	70	4	2000	Cu	80	090	4
22	070	4	10	SCT	29.98	76	70	4	2000	Cu			
23	070	4	10	SCT	29.99	76	70	4	2000	Cu			
24	070	4	10	SCT	29.99	76	70	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 65

FUEL CONSUMED 0000–2400: 918

REMARKS

00 – 04 Moored starboard side to in berth Sierra Eighteen on forward. U.S. Naval Submarine Base, Pearl Harbor Hawaii with standard mooring lines doubled. Material Condition yoke modified is set. Receiving potable water, electrical and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and yard craft. SOPA is CinCPacFlt.

Ens C.P. McKenzie, USNR

04 – 08 Moored as before. 0700 Commenced making preparations for getting underway. 0730 Mustered the crew at quarters. Absentees: none. 0745 Set the special sea and anchor detail. 0754 Completed all preparations for getting underway. Draft forward 13'10" aft 16'6". 0815 LTjg Jerry A Hall, 661 5151 1110 5 TAD to Tripler Army Hospital for abt 30 days Ens C. P. McKenzie, USNR

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Lt(jg) R S Nace U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Alhakabi (AGF-96) Monday (Day) 9 November (Date) (Month), 19 67

0800 Moored as before. 0821 Underway in accordance with ComFltTraGru OP-Order 46-67 to 62.1. Captain and Navigator are on the bridge. Steering various courses at various speeds while maneuvering to clear the berth and stand out of the harbor. 0838 has the Conn. 0851 Buoy 13 abeam to starboard. 0852 Buoy 11 abeam to starboard. 0854 Mike Boat alongside to port with crew 40 Target Sled #590. Sled hooked up astern. 0900 streamed target sled to 300 feet. 0903 Buoy 9 abeam to starboard. 0906 Buoy 7 abeam to starboard. 0907 Buoy 5 abeam to starboard. 0910 Buoy 3 abeam to starboard 0913 Buoy 1 abeam to starboard. 0920 secured special sea and anchor detail. 0927 c/s to 90 RPM. 0928 c/c to 203. 1014 Made daily inspection of the magazines. Condition: Normal. 1028 c/c to 208.° 0920 streamed the sled to 900 feet. 1108 c/c to 255° 1151 c/c to 235° 1153 c/s to 100 RPM

Ens C. P. McKenzie, USNR

12-16 UNDERWAY AS BEFORE. 1208 STREAMED TARGET TO 3400 FT. 1212 C/S TO 9.5 KTS. 1219 C/S TO 12.2 KTS. 1241 C/S TO 5 KTS. 1306 C/C TO 255° 1321 USS MCCAIN COMMENCED GUNNERY EXERCISE E-23-G. 1433 USS MCCAIN COMPLETED E-23-G. 1435 C/S TO 9.5 KTS. 1441 C/C TO 355° 1446 C/S TO 6.7 KTS. HEAVED SLED INTO 1200 FT. 1447 C/C TO 040° 1506 C/S TO 7.7 KTS. 1515 C/S TO 9.5 KTS. 1519 C/C TO 045°

JEH

Lt(jg) SE Horton USN.

16-18 Underway as before

Ens C. P. McKenzie, USNR

18-20 Underway as before. 1800 c/c to 060°

Ens C. P. McKenzie, USNR

20-24 UNDERWAY AS BEFORE. 2010 C/C TO 055° 2045 C/S TO 9.7 KTS. 2058 C/C TO 332°. 2100 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. 2106 HEAVED SLED IN TO 600 FT. 2114 C/C TO 334°. 2116 PASSED SEA BUOYS 1 AND 2. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 2119 HEAVED SLED IN TO 300 FT. 2122 HEAVED

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Lt(jg) D S Nason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Monday (Day) 9 (Date) Nov (Month) 1964

2Ø-24 (CONT). SLED INTO 15Ø FT. 2124 BUOY 4 ABEAM TO STARBOARD APPROX 100 YDS. 2126 BUOY 6 ABEAM TO STARBOARD APPROX. 75 YDS 2129 SNUBBED SLED UP ASTERN. 2131 COMMENCED MANEUVERING VARIOUS COURSES AND SPEED WHILE APPROACHING AND MOORING OUTBOARD OF USS MOCTOBI (ATF-105) IN BERTH ALPHA-6 US NAVAL STATION PEARL HARBOR, HAWAII 2141 MOORED STARBOARD SIDE TO OUTBOARD OF USS MOCTOBI (ATF-105) IN BERTH ALFA-6 US NAVAL STATION PEARL HARBOR, HAWII WITH STANDARD MOORING LINES DOUBLED. RECIEVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SOPA IS CINCPACFLT.

LTJG E. Horton USN

2Ø-24 MOORED AS BEFORE.

LTJG E. Horton USN

APPROVED: Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED: Ltjg D.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ATAKI (ATF-96) ZONE DESCRIPTION +10W DATE 10 (Day) NOV. (Date) TUESDAY (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	4	10	Sct	3999	76	70	5	2000	Cu			
02	070	4	10	Sct	3000	76	70	5	2000	Cu			
03	070	4	10	Sct	3000	76	70	4	2000	Cu			
04	070	5	10	Sct	3998	75	70	4	2000	Cu			
05	070	5	10	Sct	3996	75	69	4	2000	Cu			
06	070	6	10	Sct	3998	75	64	3	2000	Cu			
07	070	6	10	Sct	3999	75	69	3	2000	Cu			
08	050	6	10	Sct	3002	77	70	3	2000	Cu			
09	060	8	10	Sct	3001	78	72	3	2000	Cu			
10	080	11	10	Sct	3000	83	73	3	2000	Cu	80	090	3
11	120	18	10	Sct	3001	83	72	4	2000	Cu	80	090	3
12	080	14	10	Sct	3999	79	70	4	2000	Cu	80	090	3
13	100	24	10	Sct	3997	79	72	4	2000	Cu	80	090	3
14	080	11	10	Sct	3998	77	74	4	2000	Cu			
15	080	10	10	Sct	3996	84	74	4	2000	Cu			
16	065	4	10	Sct	3996	85	74	4	2000	Cu			
17	065	4	10	Sct	3996	84	74	4	2000	Cu			
18	060	4	10	Sct	3997	82	74	4	2000	Cu			
19	060	4	10	Sct	3996	82	74	4	2000	Cu			
20	060	4	10	Sct	3996	82	74	4	2000	Cu			
21	060	4	10	Sct	3997	81	74	4	2000	Cu			
22	060	4	10	Sct	3996	81	74	4	2000	Cu			
23	060	4	10	Sct	3997	81	74	4	2000	Cu			
24	060	4	10	Sct	3996	81	74	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L ~~engat~~		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
38

FUEL CONSUMED 0000-2400
300

REMARKS

00-04 MOORED OUTBOARD, STARBOARD SIDE TO USS MOCTOBI (ATF-105) IN BERTH ALFA SIX, US NAVAL STATION PEARL HARBOR HAWII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT. SLED 590 TIED UP ASTERN.

LTJG LE Horton USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE.

LTJG LE Horton USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 10 (Date) November (Month) 19 64

Ø812 Moored As Before. Ø818 Made Daily Inspection of Magazines Conditions Normal. Transferred Target Sled From Astern To Berth Alfa Seven. Ø910 Set Special Sea And Anchor Detail. Captain And Navigator On The Bridge OOD Has The Conn. Ø924 Underway In Accordance With Comfltra Gru Op-Ord 46-52. Maneuvering Various Courses And Speeds To Clear Berth And Head Fair In Channel. Ø932 Headed Fair In Channel On Course 175° Speed. 9.5 Kts. Passed Buoy 7 Astern To Stbd. Approx. 100 Yds. ℄ To 153°. Ø941 Passed Buoy 1 Abeam To Stbd 100 Yds. Secured Sea And Anchor Detail. Ø949 ℄ To 168° Ø951 Entered International Waters. Ø954 ℄ To 260° 1036 ℄ To Ø90° 1039 ℄s To 3.3 Kts. 1050 Commenced Maneuvering Various Courses And Speeds While Conducting 7-10-CC With USS Tawakoni (ATF-114) 1150 Completed 2-10-CC On Course Ø80° Speed 12.3 Kts.

Ltjg LE Horton USN.

12-16 Underway as before 1226 ℄ to 333° 1227 ℄ to 330° 1228 Set the Special Sea and anchor detail. Commenced steering various courses at various speeds while standing in to Pearl Harbor. 1235 Completed all preparation for entering port. 1237 Passing Sea Buoy 1 & 2 inbound. 1241 Buoy 4 abeam to starboard. 1247 Buoy 6 abeam to starboard. 1256 Moored in berth alfa Five (a-5) U. S. Naval Base Pearl Harbor, Hawaii. 1258 Doubled up all lines. SOPA is Cmdr Pac Flt. 1259 Secured the special sea and anchor detail.

Ens C. P. McKenzie, USNR

12-16 (cont) Moored as before

Sfyg RS Mason USN

16-20 Moored as before. 1800 Set Material condition Yoke Modified.

Sfyg RS Mason USN

20-24 Moored as before.

Sfyg RS Mason, USN

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Sfyg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday (Day) 11 (Date) November (Month), 19 57

AT/P~~ASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	SCT	29.96	81	71	6	1800	Cu			
02	040	3	10	SCT	29.95	81	71	6	1800	Cu			
03	040	3	10	SCT	29.93	80	71	6	1800	Cu			
04	040	3	10	SCT	29.92	80	70	6	1800	Cu			
05	040	3	10	SCT	29.94	80	72	6	1800	Cu			
06	040	3	10	SCT	29.94	80	72	6	1800	Cu			
07	040	3	10	SCT	29.96	82	72	6	1800	Cu			
08	040	3	10	SCT	29.98	83	73	5	1800	Cu			
09	040	4	10	SCT	29.99	85	74	5	1800	Cu			
10	040	6	10	SCT	30.00	85	75	5	1800	Cu			
11	040	6	10	SCT	30.00	87	75	5	1500	Cu			
12	040	5	10	SCT	30.00	87	75	5	1500	Cu			
13	040	5	10	SCT	30.00	87	75	5	1500	Cu			
14	040	5	10	SCT	30.00	87	75	5	1500	Cu			
15	040	5	10	SCT	30.00	86	75	5	1500	Cu			
16	040	5	10	SCT	29.92	86	75	5	1500	Cu			
17	040	5	10	SCT	29.93	85	74	5	1500	Cu			
18	040	5	10	SCT	29.94	85	74	5	1500	Cu			
19	040	5	10	SCT	29.95	84	75	5	1500	Cu			
20	040	5	10	SCT	29.96	83	75	1	1500	Cu			
21	040	5	10	SCT	29.98	82	74	1	1500	Cu			
22	040	5	10	SCT	29.99	82	73	1	1500	Cu			
23	040	5	10	SCT	30.00	82	73	1	1500	Cu			
24	040	5	10	SCT	29.98	82	73	2	1500	Cu			

POSITION	ZONE	TIME
0800		
L import		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
○

FUEL CONSUMED 0000–2400
528

REMARKS

00-04 Moored portside to in berth A-5, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke modified is set. Receiving fresh water and telephone services from the pier. Ships present include various units of the U.S Pacific Fleet yard and district craft. SOPA is CINCPACFLT.

Stgs RS Mason, USN

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: none.

Stgs RS Mason, USN

APPROVED:

Lt James R. Williams U.S.N. COMMANDING

EXAMINED:

Stgs RS Mason, USN U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 11 (Date) Nov (Month) 1967

0800-1200 Moored as before. 0830 Made daily inspection of the magazines: Conditions: Normal. 1130 YTL 571 Brought lines 70 & 55 alongside to starboard.

Ens C.P. McKenzie, USNR

1200-1600 Moored as before.

Ens C.P. McKenzie, USNR

1600-2000 Moored as before. 1800 Set condition yoke modified.

Ens C.P. McKenzie, USNR

2000-2400 Moored as before.

Ens C.P. McKenzie, USNR

APPROVED: Lt. James R. Hutchison U.S.N. COMMANDING

EXAMINED: Lt(jg) D.S. Mason, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Thursday (Day) 12 (Date) November (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	SCT	29.96	82	73	2	1500	Cu			
02	040	3	10	SCT	29.95	82	73	2	1500	Cu			
03	040	3	10	SCT	29.93	82	73	2	1500	Cu			
04	040	2	10	SCT	29.93	82	73	2	1500	Cu			
05	040	2	10	SCT	29.93	82	72	3	1500	Cu			
06	040	2	10	SCT	29.94	83	72	3	1500	Cu	80	075	2
07	060	14	10	SCT	29.93	76	68	5	1500	Cu	80	075	3
08	080	20	10	SCT	29.92	77	68	5	1500	Cu	80	075	3
09	082	14	10	SCT	29.94	74	70	5	1500	Cu	80	075	3
10	085	20	10	SCT	29.94	80	71	5	1800	Cu	80	075	3
11	080	17	10	SCT	29.93	82	72	5	1800	Cu	80	075	3
12	065	17	10	SCT	29.90	79	74	4	1800	Cu	80	075	3
13	055	22	10	SCT	29.89	84	76	4	1800	Cu	80	075	3
14	040	20	10	SCT	29.86	82	74	6	1800	Cu	80	075	4
15	065	22	10	SCT	29.85	82	74	4	1800	Cu	80	075	4
16	075	23	10	SCT	29.87	82	74	4	1800	Cu	80	075	4
17	075	4	10	SCT	29.87	82	74	4	1800	Cu	80	075	4
18	075	4	10	SCT	29.89	82	73	4	1800	Cu			
19	075	4	10	SCT	29.89	79	73	4	1800	Cu			
20	075	4	10	SCT	29.91	77	71	4	1800	Cu			
21	075	3	10	SCT	29.94	76	71	4	1800	Cu			
22	075	3	10	SCT	29.94	76	71	4	1800	Cu			
23	075	3	10	SCT	29.95	76	71	4	1800	Cu			
24	070	3	10	SCT	29.94	77	71	4	1800	Cu			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 69

FUEL CONSUMED 0000-2400: 1510

REMARKS

00-04 Moored port side to in berth alfa-five (A-5) U.S. Naval Base Pearl Harbor, Hawaii with standard mooring line doubled. Sleeve 40 sled #5557 moored alongside to starboard. Material condition yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and yard craft. Pearl is an FLT.

Ens C.P. McKenzie, USNR

04-08 Moored as before 0500 Commenced making preparations for getting underway. 0530 Mustered the crew on stations. absentees: None. 0540 Set the special sea and anchor detail. 0554 Completed all preparations for getting underway. 0556 Underway for OP-Areas 62 and 64 in accordance with ComTFLT Ina Gen Unsatly dtg order 46-64 with Sleeve 40 target sled alongside to starboard. 0610 Has

APPROVED:

Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED:

Lt. R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abraki (AJF-96) Thursday (Day) 12 (Date) November (Month), 19 67

0724-0808 (Continued) the Comm Captain and Navigator are on the bridge. Steering various courses and various speeds while maneuvering to clear the berth and stand out of the harbor. 0803 streamed sled to 300 feet. 0806 Buoy #9 abeam to starboard. 0807 Buoy 7 abeam to starboard. 0808 Buoy 5 abeam to starboard. 0812 Buoy 3 abeam to starboard. 0817 Buoy 1 abeam to starboard. 0819 secured the special sled and anchor detail. 0825 Target sled streamed to 900 feet on the brake. 0826 c/c to 208°. 0821 c/s to 100 RPM.

Ens C.P. McKenzie, USNR

0812-1216 Underway as before. 0830 c/c 250°. 0856 c/s 6.7 Kts. 0859 Streamed target to 3400 feet on the brake. 0929 c/c 180°. 0936 made daily inspection of magazines. Conditions; normal. 1020 USS McCain (DL-3) Commenced Firing Calibration exercise. 1048 McCain commenced firing exercise 2-23-S. 1100 Secured from Gunnery exercises with McCain. c/c 070°, 1103 c/s 9.5 Kts. 1111 c/c 060°, 1114 c/c 065°, c/s 6.7 Kts.

CWO Jal Hollis, USN

1216-1600 UNDERWAY AS BEFORE. 1205 c/c to 020° 1310 c/c to 035° 1341 c/s to 8 Kts. 1344 c/s to 10 Kts. 1430 c/c to 050° 1436 c/c to 045° 1549 c/c to 052°

LTJG LE Horton, USN

1600-2000 Underway as before 1613 c/s to 225 RPM c/c to 095 1619 c/c to 074 1623 c/c to 333 1625 Secured special sea and anchor detail. Commenced steering various courses at various speeds while steaming to Pearl Harbor. 1641 Buoy 2 abeam to stbd. 1645 Buoy 4 abeam to stbd. 1651 Buoy 6 abeam to stbd. 1653 Sled secured. 1658 Drydock sled up. 1705 Moored port side to a berth alongside USS Proud station Pearl Harbor Hawaii. SOPA Comp Ltr 7C1709 secured the special sea and anchor detail. 600 set Condition Yoke Modified.

Ens C. P. McKenzie, USNR

APPROVED: Lt James R. Adelsperger U.S.N. COMMANDING

EXAMINED: Lt(jg) D.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION ZONE · TIME
0800
L _____ BY _____
λ _____ BY _____
1200
L _____ BY _____
λ _____ BY _____
2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 12 (Date) November (Month), 19 64

20-24 Moored as before.

A/C C. P. McKenzie, USMR

APPROVED:

Lt [signature] U.S.N. COMMANDING

EXAMINED:

Stg D S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Alnahi (CoTF-96) ZONE DESCRIPTION +10W DATE Friday (Day) 13 (Date) November (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	3	10	SCT	24.94	77	71	4	1100	Cu			
02	070	3	10	SCT	24.98	78	71	4	1800	Cu			
03	070	3	10	SCT	24.93	78	71	4	1800	Cu			
04	070	3	10	SCT	24.93	78	71	4	1800	Cu			
05	060	3	10	SCT	24.42	78	71	4	1800	Cu	80	060	3
06	075	15	10	SCT	24.40	76	72	4	1800	Cu	80	060	3
07	080	15	10	SCT	24.91	76	73	4	1800	Cu	80	060	3
08	065	13	10	SCT	24.42	80	71	2	2000	Cu	80	060	3
09	075	12	10	SCT	24.92	80	74	2	2000	Cu	80	060	3
10	065	10	10	SCT	24.92	81	76	2	2000	Cu	80	060	3
11	070	10	10	SCT	24.90	81	74	1	2000	Cu	80	060	3
12	065	12	10	SCT	24.91	81	74	2	2000	Cu	80	060	3
13	080	14	10	SCT	24.91	81	75	2	2000	Cu	80	060	3
14	040	4	10	SCT	24.88	86	75	2	1800	Cu			
15	040	4	10	SCT	24.86	87	76	2	2000	Cu			
16	040	4	10	SCT	24.84	88	76	2	2000	Cu			
17	040	4	10	SCT	24.92	87	76	2	1800	Cu			
18	040	4	10	SCT	24.91	86	76	2	1800	Cu			
19	040	4	10	SCT	24.91	84	74	2	1800	Cu			
20	040	4	10	SCT	24.93	86	75	2	1800	Cu			
21	040	4	10	SCT	24.93	84	74	2	1800	Cu			
22	040	4	10	SCT	24.93	84	74	2	1800	Cu			
23	040	4	10	SCT	24.93	84	74	2	1800	Cu			
24	040	4	10	SCT	24.92	80	73	2	1800	Cu			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 73

FUEL CONSUMED 0000-2400: 1530

REMARKS

00-04 Moored port side to in berth Alfa-Five (A-5) U.S. Naval Base Pearl Harbor, Hawaii with standard mooring lines doubled. Series 40 target sled #557 moored alongside to starboard. Material Condition yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet Destroyer and Yard Craft. 1 OPAL Conducting SQT. 0345 Commenced making preparation to get underway.

Ens C.R. McKenzie, USNR

04-08 Moored as before. 0400 Mustered the crew on stations. Absentee: Harrington W. R. 363 72 85 EM 1 USN 0410 Set the special sea and anchor detail 0416 Completed all preparations for getting underway. Draft: fwd 14' aft 16'5". 0425 Underway for local operating area Sierra 2 in accordance with ComTaFlt Tra Plan Precis of order 46-64 with series 40 sled #557 alongside to starboard. CO, Exec, Navigator and Commander are on

APPROVED:

LT James L. Williams U.S.N. COMMANDING

EXAMINED:

Lt(jg) D.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Friday 13 November 64
(Day) (Date) (Month) to

the bridge. Steering various courses at various speeds while standing out of the channel and clearing the berth. 0432 Commenced streaming sled to 3000 feet. 0435 Buoy 7 abeam to starboard. 0437 Buoy 5 abeam to starboard. 0440 Buoy 3 abeam to starboard. 0443 Buoy 1 abeam to starboard. 0450 Secured the special sea and anchor detail. 0503 c/c to 210° 0511 c/c to 217° 0530 c/c to 230 0542 c/c to 222° 0549 c/c to 216° 0713 c/s to 9.5 kts 0715 c/s to 6.7 kts 0730 target streamed to 3700 feet on the brake 0757 Held loss of steering drill.

Ens C.P. McKenzie, USNR

08-12 Underway As Before. 0804 Secured From Steering Casualty Drill. 0813 C/C To 240°. 0821 C/C To 210° 0846 C/S To 9.5 Kts. 0847 C/C To 200° 0851 C/S To 12.3 Kts. 0853 USS Sproston Commenced Firing Z-23-G. 0854 C/S To 9.5 Kts. 0855 C/S To 12.3 Kts. 0858 USS Sproston Completed Z-23-G. C/C To 210° 0901 C/C To 230° 0905 C/C To 221° 0915 Made Daily Inspection of Magazines: Conditions: Normal. 0926 USS Sproston Commenced Firing Z-21-G. 0934 C/C To 260° 0954 USS Sproston Completed Z-21-G C/S To 5 Kts. 1005 C/C To 250° 1009 C/S To 9.5 Kts. 1010 C/S To 12.3 Kts. 1024 USS Fletcher Commenced Z-21-G. 1058 USS Fletcher Completed Z-21-G 1101 C/C To 070° 1123 USS Fletcher Commenced Z-21-G 1132 USS Fletcher Completed Z-21-G.

Ltjg PE Hunter USN.

12-16 Underway as before. 1215 Commenced Z-21-G with USS Tawakoni (ATF 114) 1245 Secured from Z-21-G). 1248 Commenced Z-27-G with USS Tawakoni (ATF-114) 1252 Secured fm Z-27-G. 1258 C/S 6.7 Kts C/C 045. 1316 C/S 12.3 1318 C/S 13.3 1435 C/C 035. 1504 C/C 031. 1527 Commenced making preparations for entering port. 1538 C/S To 6.7. Heaved sled into 300 ft. 1540 Set the special sea and anchor detail. 1542 C/C 340. 1547 C/C 333. * 1553 Passed sea buoy No 1 abeam to port * 1545 Captain and Navigator on the bridge. OOD has the Conn
Lt(jg) RS Mason, USN

16-20 Underway as before. 1602 Commenced steering various courses at various speeds while transiting Pearl Harbor Channel. 1605 Heaved target into 200 feet 1603 Passed buoy 4 abeam to stbd. 1607 Shackled up target astern. 1605 Passed buoy 6 abeam to stbd. 1608 Commenced steering various courses at various speeds to approach berth. 1621 Moored portside to berth A-5, U.S. Naval Base Pearl Harbor Hawaii. 1627 Secured the special sea and anchor detail. Moored with standard mooring lines double. SOPA is CINCPACFLT. Sled moored astern 1628 Harrington, WR 363 72 85 A EM 1/c Lt(jg) RS Mason, USN USN returned to ship having been AWOL since 0400 this date

Lt(jg) RS Mason, USN

APPROVED: Lt. [signature] U.S.N. COMMANDING

EXAMINED: Lt(jg) RS Mason, USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Friday (Day) 13 (Date) Nov (Month), 19 64

16-20 (Cont). MOORED AS BEFORE. 1701 USS ~~Too~~ TAWAKONI (AT-114) MOORED ALONGSIDE TO STARBOARD. 1800 SET MODIFIED MATERIAL CONDITION YOKE. JEM

LTJG JE Horton USN

2024 MOORED AS BEFORE.

LTJG JE Horton USN

APPROVED:

Lt. James R. Calkins U.S.N. COMMANDING

EXAMINED:

Lt(jg) D S Rose U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE SATURDAY (Day) 14 (Date) Nov (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	9990	78	72	3	3000	Cu			
02	040	3	10	Sct	9991	80	74	3	3000	Cu			
03	040	3	10	Sct	9991	80	74	3	3000	Cu			
04	040	3	10	Sct	9990	80	74	3	3000	Cu			
05	040	4	10	Sct	9989	80	73	4	3000	Cu			
06	040	4	10	Sct	9989	80	73	4	3000	Cu			
07	040	4	10	Sct	9990	80	73	4	3000	Cu			
08	040	4	10	Sct	9991	80	73	4	3000	Cu			
09	040	4	10	Sct	9991	81	73	4	3000	Cu			
10	040	4	10	Sct	9991	81	73	5	3000	Cu			
11	040	4	10	Sct	9991	80	73	5	3000	Cu			
12	040	4	10	Sct	9991	80	75	5	3000	Cu			
13	040	4	10	Sct	9992	81	73	5	3000	Cu			
14	040	1	10	Sct	9989	81	73	5	3000	Cu			
15	040	1	10	BKN	9988	82	73	8	3000	Cu			
16	040	1	10	BKN	9986	82	73	7	3000	Cu			
17	040	1	10	BKN	9984	82	73	7	3000	Cu			
18	040	1	10	BKN	9982	82	73	7	3000	Cu			
19	040	1	10	BKN	9984	80	72	7	3000	Cu			
20	040	1	10	BKN	9986	77	72	7	3000	Cu			
21	040	1	10	BKN	9988	76	71	7	3000	Cu			
22	040	1	10	BKN	9990	76	71	8	3000	Cu			
23	040	1	10	BKN	9991	75	70	8	3000	Cu			
24	040	2	10	BKN	9990	75	70	8	3000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 227

REMARKS

ØØ-Ø4 MOORED PORTSIDE TO IN BERTH ALFA FIVE. US NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. USS TAWAKONI (ATF-114) MOORED ALONGSIDE TO STARBOARD. TARGET SLED 557 TIED UP ASTERN. MODIFIED MATERIAL CONDITION YOICE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

LTJG LE Horton USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW ON STATIONS. ABSENTEES NONE.

LTJG LE Horton USN

APPROVED:

Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED:

Sltjg R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ATSUGI (ATF-96) Saturday (Day) 14 (Date) November (Month) 1964

08-12 moored as before. 1026 made daily inspection of magazines. Conditions normal. Made weekly test of Sprinkler System. Test satisfactory. 1030 moved target sled 557 from astern to alfa 7 pier.

CWO JL Hollis, USN

12-16 moored as before.

CWO JL Hollis, USN

16-20 moored as before. 1800 set material condition yoke (modified).

CWO JL Hollis, USN

20-24 moored as before.

CWO JL Hollis, USN

APPROVED:

LT. James L. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg DS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE SUNDAY (Day) 15 (Date) November (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	1	10	BKN	3986	75	70	7	2000	Cu			
02	050	1	10	BKN	3986	74	70	7	2000	Cu			
03	060	1	10	BKN	3986	74	70	7	2000	Cu			
04	060	1	10	BKN	3984	73	71	7	2000	Cu			
05	070	1	10	BKN	3984	73	71	7	2000	Cu			
06	070	1	10	BKN	3984	73	71	7	2000	Cu			
07	070	1	10	BKN	3984	73	71	7	2000	Cu			
08	090	2	10	Sct	3987	73	71	5	2000	Cu			
09	090	2	10	Sct	3987	75	72	5	2000	Cu			
10	090	2	10	Sct	3986	78	73	5	2000	Cu			
11	220	2	10	Sct	3986	79	74	5	2000	Cu			
12	220	4	10	Sct	3984	81	75	5	2000	Cu			
13	220	4	10	Sct	3985	81	76	5	2000	Cu			
14	220	4	10	Sct	3986	81	75	5	2000	Cu			
15	220	4	10	BKN	3985	81	75	7	2000	Cu			
16	220	4	10	BKN	3985	82	75	7	2000	Cu			
17	200	4	10	BKN	3986	82	74	7	2000	Cu			
18	200	5	10	BKN	3985	83	74	6	2000	Cu			
19	220	5	10	BKN	3986	84	74	6	2000	Cu			
20	220	5	10	Sct	3986	83	74	4	2000	Cu			
21	230	5	10	Sct	3986	82	74	4	2000	Cu			
22	230	5	10	Sct	3986	81	73	4	2000	Cu			
23	220	5	10	Sct	3985	81	72	4	2000	Cu			
24	220	5	10	Sct	3986	81	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

200

REMARKS

00-04 moored port side to berth alpha five (A-5), U.S. Naval Station, Pearl Harbor, Hawaii with Standard mooring lines doubled. USS TAWAKONI (ATF-114) moored out board to starboard. Receiving potable water and telephone services from the pier. Material Condition Yoke (modified) set. Ships present include Various Units of the U.S. Pacific Flt. District and Small Craft. S.O.P.A. is Com C. pac Flt.

CWO J.L. Hollis, USN

04-08 moored as before. 0745 mustered the Crew on stations. Absentees: None.

CWO J.L. Hollis, USN

APPROVED: L. [illegible] U.S.N. COMMANDING

EXAMINED: Sdgr R.D. Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Sunday (Day) 15 (Date) Nov (Month) 19 64

08-12. Moored as before. 0837 Made daily inspection of magazine conditions normal.

Stgy RS Mason, USN

12-16 Moored as before

Stgy RS Mason USN

16-20. Moored as before. 1800 Set Material condition 4 the Modified.

Stgy RS Mason, USN

20-24 Moored as before.

Stgy RS Mason, USN

APPROVED: Lt. James R. Abercrombie U.S.N. COMMANDING

EXAMINED: Stgy RS Mason, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Monday 16 Nov (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	4	10	Sct	2986	75	71	4	3000	Cu			
02	220	4	10	Sct	2983	74	70	4	3000	Cu			
03	220	4	10	Sct	2983	74	70	4	3000	Cu			
04	200	4	10	Sct	2985	74	70	4	3000	Cu			
05	200	4	10	Sct	2988	72	70	4	3000	Cu			
06	200	4	10	Sct	2986	76	71	4	3000	Cu			
07	200	4	10	Sct	2984	76	71	4	3000	Cu			
08	200	4	10	Sct	2982	80	70	4	3000	Cu			
09	220	4	10	Sct	2984	80	70	5	3000	Cu			
10	230	4	10	Sct	2984	79	70	5	3000	Cu			
11	230	4	10	Sct	2985	78	70	5	3000	Cu			
12	230	4	10	Sct	2986	80	70	5	3000	Cu			
13	230	4	10	Sct	2987	80	70	5	3000	Cu			
14	230	4	10	Sct	2988	81	70	5	3000	Cu			
15	200	4	10	Sct	2988	81	70	5	3000	Cu			
16	200	4	10	BKN	2988	80	70	6	3000	Cu			
17	200	4	10	BKN	2989	80	70	6	3000	Cu			
18	222	4	10	BKN	2990	80	70	6	3000	Cu			
19	195	4	10	BKN	2990	80	70	6	3000	Cu			
20	190	4	10	BKN	2991	78	70	6	3000	Cu			
21	190	4	10	BKN	2990	77	70	6	3000	Cu			
22	190	4	10	BKN	2988	75	70	6	3000	Cu			
23	190	4	10	BKN	2989	74	70	6	3000	Cu			
24	190	4	10	BKN	2989	74	70	6	3000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 200

REMARKS

00-04 Moored portside to in berth A-5, U.S. Naval Base, Pearl Harbor, Hawaii. with standard mooring lines doubled. USS Tawakoni (ATF-114) moored outboard. Material condition Yokemodified is set. Receiving fresh water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CINCPACFLT.

Stjg RS Mason, USN

04-08 Moored as before. 0745 Mustered the crew at quarters: Absentees: None.

Stjg RS Mason, USN

APPROVED: Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED: Stjg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Alnair (AFF-96) Monday (Day) 16 (Date) November (Month), 19 64

0800-1200 Moored as before. 0817 Made daily inspection of the magazines. Conditions: Normal.

Ens C.P. McKenzie, USNR

1200-1600 Moored as before.

Ens C.P. McKenzie, USNR

1600-2000 Moored as before. 1800 Set Condition Yoke modified

Ens C.P. McKenzie, USNR

2000-2400 Moored as before.

Ens C.P. McKenzie, USNR

APPROVED: LT. Leonard A. Williams U.S.N. COMMANDING

EXAMINED: Ltjg R.S. Nasser U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE ~~Monday~~ Tuesday 17 November (Day) 7 (Date) (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	9989	74	71	3	3000	Cu			
02	040	3	10	Sct	9987	73	69	3	3000	Cu			
03	040	3	10	Sct	9986	72	69	3	3000	Cu			
04	040	3	10	Sct	9986	71	68	3	3000	Cu			
05	040	3	10	Sct	9985	70	68	3	3000	Cu			
06	040	3	10	Sct	9985	69	67	3	3000	Cu			
07	040	3	10	Sct	9987	72	66	3	3000	Cu			
08	040	3	10	Sct	9990	72	67	3	3000	Cu			
09	040	3	10	Sct	9990	72	68	3	3000	Cu			
10	040	3	10	Sct	9990	72	69	3	3000	Cu			
11	040	3	10	Sct	9990	74	69	3	3000	Cu			
12	040	3	10	Sct	9990	76	69	3	3000	Cu			
13	040	3	10	Sct	9989	78	70	4	3000	Cu			
14	040	3	10	Sct	9984	80	71	4	3000	Cu			
15	040	3	10	Sct	9988	80	71	4	3000	Cu			
16	040	3	10	Sct	9987	79	71	4	3000	Cu			
17	040	3	10	Sct	9986	82	70	4	3000	Cu			
18	040	3	10	Sct	9987	83	70	4	3000	Cu			
19	040	3	10	Sct	9988	80	70	4	3000	Cu			
20	040	3	10	Sct	9989	79	70	4	3000	Cu			
21	040	3	10	Sct	9990	78	70	4	3000	Cu			
22	040	3	10	Sct	9990	77	70	4	3000	Cu			
23	040	3	10	Sct	9991	77	70	4	3000	Cu			
24	040	3	10	Sct	9991	76	70	4	3000	Cu			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 200

REMARKS

00-04 Moored port side to in berth alfa-five (A-5) U.S. Naval Base Pearl Harbor, Hawaii with standard mooring lines doubled. USS Tawakoni (ATF-114) Moored alongside to starboard. Material condition yoke modified & set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, District, and yard craft. SOPA is ComPacFlt.

Ens C.P. McKenzie, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters all hands: None. 0750 USS Tawakoni (ATF-114) underway.

Ens C.P. McKenzie, USNR

APPROVED: Lt. [illegible] U.S.N. COMMANDING

EXAMINED: Sltg R.S. Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 17 (Date) NOVEMBER (Month), 19 64

0800-1200 MOORED AS BEFORE 0945 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

LTJG LE Horton USN

1200-1600 MOORED AS BEFORE

LTJG LE Horton USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LTJG LE Horton USN

2000-2400 MOORED AS BEFORE

LTJG LE Horton U.S.N.

APPROVED:

Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED:

Lt(jg) R S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 18 (Date) NOVEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	Sct	2991	80	71	5	2000	Cu			
02	040	4	10	Sct	2990	80	71	5	2000	Cu			
03	040	4	10	Sct	2989	80	71	5	2000	Cu			
04	040	4	10	Sct	2988	81	71	5	2000	Cu			
05	040	4	10	Sct	2988	81	71	5	2000	Cu			
06	040	4	10	Sct	2988	80	70	4	2000	Cu			
07	040	4	10	Sct	2990	82	70	4	2000	Cu			
08	040	4	10	Sct	2990	82	74	4	2000	Cu			
09	040	4	10	Sct	2990	84	74	4	2000	Cu			
10	040	4	10	Sct	2991	85	74	4	2000	Cu			
11	040	4	10	Sct	2991	84	74	4	2000	Cu			
12	040	4	10	Sct	2992	84	74	4	2000	Cu			
13	045	4	10	Sct	2993	83	74	4	2000	Cu			
14	045	4	10	Sct	2994	83	74	4	2000	Cu			
15	045	4	10	Sct	2994	82	74	4	2000	Cu			
16	045	4	10	Sct	2991	82	74	4	2000	Cu			
17	045	4	10	Sct	2990	81	74	4	2000	Cu			
18	045	4	10	Sct	2990	81	74	4	2000	Cu			
19	045	4	10	Sct	2988	81	74	4	2000	Cu			
20	045	4	10	Sct	2988	80	74	4	2000	Cu			
21	045	4	10	Sct	2988	80	74	4	2000	Cu			
22	045	4	10	Sct	2989	80	74	4	2000	Cu			
23	040	4	10	Sct	2988	80	72	4	2000	Cu			
24	040	4	10	Sct	2988	80	70	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 200

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH ALFA FIVE U.S. NAVAL STATION, PEARL HARBOR, HAWAII. WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

LTJG L.E. Horton USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE

LTJG L.E. Horton USN

APPROVED: Lt. James L. Williams U.S.N. COMMANDING

EXAMINED: Ltjg R.S. Rasor U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 18 (Date) November (Month), 19 64

08-12 moored as before. 0934 Made daily ~~inspection~~ inspection of magazines. Conditions: Normal.

CWO. J.D. Hollis, USN

12-16 moored as before.

CWO J.D. Hollis, USN

16-20 moored as before. 1800 set material condition yoke (modified). 1830 mustered the duty fire party. Absentees: None.

CWO J.D Hollis, USN

20-24 moored as before.

CWO JD Hollis, USN

APPROVED: Lt. James L. Pakkala U.S.N. COMMANDING

EXAMINED: Sdyg PS Nash U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE THURSDAY (Day) 19 (Date) November (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	RS	2988	80	74	10	1000	ST			
02	130	2	10	RS	2987	77	74	10	1000	ST			
03	130	4	10	BKN	2985	77	74	8	1000	ST			
04	130	5	10	BKN	2982	76	74	7	3000	SC			
05	130	5	10	BKN	2982	77	74	7	3000	SC			
06	130	5	10	BKN	2982	77	74	7	3000	SC			
07	130	5	10	BKN	2982	78	74	7	3000	SC			
08	130	7	10	Sct	2982	77	74	5	3000	SC			
09	130	7	10	Sct	2986	76	74	5	3000	SC			
10	085	7	10	Sct	2987	78	74	5	3000	SC			
11	090	7	10	Sct	2989	84	74	5	3000	SC			
12	080	7	10	Sct	2988	85	74	4	3000	SC			
13	070	7	10	Sct	2986	85	74	4	3000	SC			
14	050	7	10	Sct	2985	84	74	2	3000	SC			
15	040	7	10	Sct	2984	83	74	2	3000	SC			
16	040	7	10	Sct	2983	82	74	2	3000	SC			
17	040	7	10	Sct	2982	81	74	2	3000	SC			
18	040	7	10	Sct	2979	80	74	2	3000	SC			
19	040	7	10	Sct	2980	79	74	2	3000	SC			
20	040	7	10	Sct	2980	77	74	2	3000	SC			
21	040	7	10	Sct	2980	75	74	2	3000	SC			
22	040	7	10	Sct	2981	74	74	2	3000	SC			
23	040	7	10	Sct	2982	74	74	2	3000	SC			
24	040	7	10	Sct	2981	77	74	2	3000	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 37

FUEL CONSUMED 0000–2400: 767

REMARKS

00-04 moored port side to berth alfa five (A5) U.S. Naval Station, Pearl Harbor, Hawaii, with standard mooring lines doubled. Material condition yoke (modified). Receiving potable water and telephone service from the pier. Ships present include various ~~Ships~~ Units of the U.S. Pacific Fleet District and Small Craft. S.O.P.A. is Com Pac Flt.

CWO. J.L. Hollis, USN

04-08 moored as before. 0745 mustered the crew at Quarters. Absentees: None.

CWO J.L. Hollis, USN

APPROVED:

LT. James R. Williams U.S.N. COMMANDING

EXAMINED:

Lt(jg) R.S. Nason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ Thursday (Day) 19 November (Date) (Month), 19 64

08-12 Moored as before. 1000 Commenced making preparations for getting underway. 1040 Set the special sea and anchor detail. Captain and Navigator on the bridge. OOD has the conn. 1045 Completed all preparations for getting underway; draft fwd 13'10", aft 16'6". 1101 Underway for local OPAREA SH, DH in accordance with COMFLTRACRU weekly ORORDER 42-64. 1102 commenced steering various courses at various ~~course~~ speeds to clear berth and head fair in the Channel. 1109 passed buoy 7 abeam to stbd. 1111 Passed buoy 7 abeam to stbd. 1117 Passed buoy 3 abeam. 1121 Passed sea buoy. 1123 C/C 153 1125 Secured the Special sea and anchor detail. 1127 C/C to 197 C/S 8 KTS. 1128 Commenced transiting the simulated swept Channel. 1130 C/C 230 1135 C 248. 1140 Entered international waters.

Lt(jg) RS Mason, USN

12-16 Underway as before. 1210 C/S 12.3 Kts. C/C 099°; 1235 C/S 6.7 Kts. 1413 C/S 12.3 Kts. C/C 295° 1442 C/C 300°; 1504 C/S 6.7 Kts. Commenced preperations for entering port. 1512 C/C 333°. 1513 C/S 12.3 Kts. 1514 Set the special sea and Anchor detail - Captain and navigator on the Bridge. OOD has the Conn. 1515 entered inland waters. Commenced maneuvering on various courses at various speeds while entering Pearl Harbor Channel. 1524 passed Buoy 2 abeam to stbd. 100yds. 1528 Buoy 4 abeam to stbd. 75yds. 1534 Buoy 6 abeam to stbd. 75yds. 1537 commenced maneuvering to approach berth. 1547 moored portside to berth Alfa 7 Pier (A5) U.S. Naval Station Pearl Harbor, Hawaii. 1552 Secured the Special Sea and anchor detail. Four stdy mooring lines doubled. Set the regular inport Watches.

CWO J.O. Hollis, USN

16-20 Moored as before. 1800 Set material condition Yoke modified.

Lt(jg) RS Mason, USN

20-24 Moored as before

Lt(jg) RS Mason, USN

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Lt(jg) RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Friday (Day) 20 (Date) November (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	030	3	10	Sct	2979	80	71	4	3000	Cu			
02	060	3	10	Sct	2977	80	71	4	3000	Cu			
03	060	4	10	Sct	2975	79	71	4	3000	Cu			
04	030	4	10	Sct	2974	78	71	4	3000	Cu			
05	040	4	10	Sct	2974	78	71	4	3000	Cu			
06	040	4	10	Sct	2974	78	71	4	3000	Cu			
07	040	4	10	Sct	2974	78	71	4	3000	Cu			
08	040	7	10	Sct	2974	75	71	4	3000	Cu			
09	110	13	10	R	2976	65	71	4	3000	Cu			
10	110	9	10	Sct	2975	74	71	4	3000	Cu			
11	080	9	10	Sct	2974	78	74	4	3000	Cu			
12	220	9	10	Sct	2973	77	71	4	3000	Cu			
13	220	9	10	Sct	2970	76	71	4	3000	Cu			
14	200	7	10	Sct	2970	77	72	4	3000	Cu			
15	200	7	10	Sct	2971	78	71	4	3000	Cu			
16	100	4	10	Sct	2972	79	71	4	3000	Cu			
17	100	4	10	Sct	2972	77	71	4	3000	Cu			
18	100	4	10	Sct	2972	77	70	4	3000	Cu			
19	080	4	10	Sct	2972	77	70	5	3000	Cu			
20	070	4	10	Sct	2972	76	70	5	3000	Cu			
21	050	4	10	Sct	2972	74	70	5	3000	Cu			
22	050	4	10	Sct	2972	75	70	5	3000	Cu			
23	050	4	10	Sct	2972	74	70	5	3000	Cu			
24	050	4	10	Sct	2973	74	70	5	3000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 47

FUEL CONSUMED 0000-2400: 500

REMARKS

00-04 Moored portside to in berth ALFA five, U.S. Naval Base, Pearl Harbor Hawaii with standard mooring lines doubled. Material condition Yoke modified in set. Receiving fresh water and telephone services from the pier. Ships present includes various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CINCPACFLT.

Lt jg R S Mason, USN

04-08 Moored as before. 0600 Commenced making preparations for getting underway. 0630 Mustered the crew at quarters stations. No. 0641 Set the special sea and anchor detail. 0645 Completed making all preparations for getting underway. draft 13'11" fwd, 16'7" aft. Captain and Navigator on the bridge. OOD has the conn. 0710 Underway for OPAREA SH, DH in accordance with COMFLTRAGRU Pearl Weekly OPORDER 47-64

Lt jg R S Mason, USN

APPROVED:

Lt. James L. Hutchison U.S.N. COMMANDING

EXAMINED:

Lt jg R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 20 (Date) November (Month), 19 64

0400-0800 (CONT)

~~0800-12~~ Underway as before. 0710 Commenced steering various courses at various speeds while clearing berth A-5 and head for the channel. 0722 Passed buoy 7 abeam to stbd distance abt 100 yds. 0724 Passed buoy 5 abeam to stbd distance abt 100 yds. 0727 Passed buoy 3 abeam to stbd distance abt 100 yds. 0727 C/C 153 C/S 12.3 KTS. 0731 Passed buoy 1 abeam to stbd distance abt 100 yds. 0733 Secured the special sea and anchor detail. 0742 Entered international waters. 0743 C/C 115°. 0744 C/C 110°

Lyg DS Mason

0800-12 Underway as before. 0823 ~~Underway as before~~ made daily inspection of ~~the magazines~~. Condition: normal 0830 Z-10-CC Commenced with USS Conserver (ARS-39) steering various courses at various speeds while conducting the exercise. 0938 secured from Z-10-CC with Conserver. 0940 let the towing detail. 0942 C/C to 335°. 0949 C/C to 328°. C/S to 6.7 kts 1016 Commenced Z-6-1 ~~with~~ USS Conserver (ARS-39). ~~Commenced towing various courses at various speeds while making approach on Conserver.~~ 1041 ~~Shot line over~~ Conserver making approach 1041 Shot line over. 1047 towing hawser fast. 1049 Conserver Commenced to tow. 1107 Cast off towing hawser. 1120 Commenced approach on Conserver. 1127 Towing hawser fast. 1140 Conserver Cast off towing hawser 1150 secured from Z-6-1. 1151 secured the towing detail 0823 Made weekly test of the magazine sprinkling system. test: satisfactory

Ens C. P. McKenzie, USNR

12-16. UNDERWAY AS BEFORE. 1232 C/S TO 6.7 KTS. 1239 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. 1240 C/C TO 331° ENTERED INLAND WATERS. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1252 PASSED BUOY 1 ABEAM TO STBD 100 YDS 1302 PASSED BUOY 6 ABEAM TO STBD 100 YDS 1336 COMMENCED MANEUVERING TO MOOR IN BERTH SIERRA 18 FORWARD U.S. SUBMARINE BASE PEARL HARBOR HAWAII. 1341 MOORED STARBOARD SIDE TO IN BERTH SIERRA 18 FOWARD WITH STANDARD MOORING LINES DOUBLED. 1348 SECURED SPECIAL SEA AND ANCHOR DETAIL

LTJG LE Horton U.S.N.

12-16 (Continued) Moored as before.

Ens C.P. McKenzie

16-20 Moored as before 1800 set material condition yoke modified

Ens C.P. McKenzie, USNR

20-24 Moored as before.

Ens C.P. McKenzie USNR

APPROVED: LT. James R. Robinson U.S.N. COMMANDING

EXAMINED: Lyg DS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Saturday (Day) 21 (Date) November (Month), 19 6X

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	4	10	Sct	2970	75	72	4	2000	Cu			
02	220	4	10	Sct	2970	75	72	4	2000	Cu			
03	220	4	10	Sct	2970	75	72	4	2000	Cu			
04	220	7	10	R	2967	75	72	4	2000	Cu			
05	220	7	10	Sct	2966	75	72	4	2000	Cu			
06	220	7	10	Sct	2964	75	72	4	2000	Cu			
07	220	7	10	Sct	2967	76	72	4	2000	Cu			
08	225	10	10	Sct	2970	79	72	4	2000	Cu			
09	225	8	10	Sct	2970	79	72	4	2000	Cu			
10	250	8	10	Sct	2971	80	73	5	2000	Cu			
11	250	8	10	Sct	2971	80	73	5	2000	Cu			
12	230	8	10	Sct	2968	82	74	5	2000	Cu			
13	230	7	10	Sct	2965	81	74	5	2000	Cu			
14	230	7	10	Sct	2962	81	74	5	2000	Cu			
15	230	6	10	Sct	2963	81	74	5	2000	Cu			
16	230	6	10	BKN	2963	80	74	8	2000	Cu			
17	230	6	10	BKN	2965	79	74	8	2000	Cu			
18	220	6	10	BKN	2966	74	73	8	2000	Cu			
19	220	6	10	BKN	2967	78	72	8	2000	Cu			
20	200	6	10	BKN	2969	78	72	8	2000	Cu			
21	200	6	10	BKN	2971	77	72	4	2000	Cu			
22	200	4	10	BKN	2974	76	72	4	2000	Cu			
23	200	4	10	BKN	2973	75	71	4	2000	Cu			
24	200	4	10	BKN	2972	75	71	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to in berth Sierra Eighteen Forward (S-18-F) US Naval Submarine Base Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition yoke Modified is set. Receiving steam, electrical, potable water and ~~cold~~ telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet District and yard Craft. SOPA is CinCPac Fleet.

Ens C.P. McKenzie, USNR

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: None.

Ens C.P. McKenzie, USNR

APPROVED:

Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED:

[signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 21 (Date) November (Month) 19 64

08-12 moored as before. 0815 mustered the crew at Quarters for Commanding Officers personnel inspection, absentes: None. ~~000~~ 0830 Commenced Commanding officers personnel inspection. 0844 secured from personnel inspection. 0842 Commanding officer commenced inspection of missing & Berthing spaces. 0921 secured from missing & Berthing inspection. 1029 made daily inspection of magazines. conditions: Normal.

CWO JC Hollis, USN

12-16 moored as before.

CWO JC Hollis, USN

16-20 moored as before. 1800 set material condition yoke (modified). 1830 mustered the duty fire party for instructions.

CWO JC Hollis, USN

20-24 moored as before.

CWO JC Hollis, USN

APPROVED: EXAMINED:

LT. [signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Sunday 22 November, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	10	10	Sct	2972	75	72	3	2000	Cu			
02	200	10	10	Sct	2972	75	72	4	2000	Cu			
03	200	10	10	Sct	2972	75	72	3	2000	Cu			
04	200	7	10	Sct	2991	77	73	4	2000	Cu			
05	200	7	10	Sct	2971	77	73	4	2000	Cu			
06	200	7	10	Sct	2972	77	73	5	2000	Cu			
07	200	7	10	Sct	2975	76	73	4	2000	Cu			
08	185	5	10	Sct	2978	78	74	4	2000	Cu			
09	200	6	10	L	2980	78	74	4	2000	Cu			
10	200	6	10	Sct	2979	80	74	4	2000	Cu			
11	200	6	10	Sct	2979	80	74	4	2000	Cu			
12	200	5	10	Sct	2979	81	74	4	2000	Cu			
13	200	5	10	Sct	2977	81	74	5	2000	Cu			
14	200	5	10	Sct	2976	82	74	5	2000	Cu			
15	190	7	10	Sct	2979	83	73	5	2000	Cu			
16	175	5	10	BKN	2979	81	73	6	2000	Cu			
17	175	3	10	BKN	2980	80	73	7	2000	Cu			
18	175	3	10	BKN	2981	78	73	8	2000	Cu			
19	180	3	10	BKN	2984	78	73	8	2000	Cu			
20	180	3	10	BKN	2983	78	72	8	2000	Cu			
21	180	3	10	BKN	2984	77	72	8	2000	Cu			
22	190	3	10	BKN	2984	76	72	7	2000	Cu			
23	190	3	10	BKN	2984	75	71	7	2000	Cu			
24	190	4	10	BKN	2985	75	71	7	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored stbd side to berth Sierra Eighteen (S-18) fwd U.S. Naval ~~Sub~~ Submarine Sch Base, Pearl Harbor, Hawaii with std. mooring lines doubled. Material condition yoke (modified) set. Receiving Electrical power, potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet District and Small Craft. S.O.P. Sch D. is Com C/pac Flt.

CWO Jd Hollis, USN

04-08 moored as before. 0745 mustered the crew on Stations. Absentees:

CWO Jd Hollis. USN

APPROVED:

LT. James L. Williams U.S.N. COMMANDING

EXAMINED:

Lcdr R S Moser U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 22 (Date) NOVEMBER (Month) 19 64

0800-1200 MOORED AS BEFORE. 0920 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

LTJG LE Horton USN

1200-1600 MOORED AS BEFORE.

LTJG LE Horton U.S.N.

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LTJG LE Horton U.S.N.

2000-2400 MOORED AS BEFORE

LTJG LE Horton U.S.N.

APPROVED: Lt. James A. Robbins U.S.N. COMMANDING

EXAMINED: Stjg DS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 23 (Date) NOVEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	6	10	BKN	2981	75	73	8	1000	St			
02	180	6	10	BKN	2983	75	73	8	1000	St			
03	180	4	10	BKN	2984	75	73	8	1000	St			
04	140	2	10	BKN	2985	74	74	8	1000	St			
05	080	4	10	BKN	2983	75	74	8	1000	St			
06	070	5	10	BKN	2985	75	74	8	1000	St			
07	070	8	10	BKN	2988	75	73	9	100	St			
08	090	3	10	BKN	2990	75	72	9	1000	St			
09	090	3	10	R	2990	75	72	10	1000	St			
10	090	7	10	R	2990	77	72	10	1000	St			
11	090	5	10	BKN	2991	80	76	9	1000	St			
12	090	4	10	BKN	2989	82	76	9	1000	St			
13	090	4	10	L	2986	82	76	8	1000	St			
14	090	4	10	BKN	2984	82	76	8	1000	St			
15	090	4	10	BKN	2984	82	76	8	1000	Sc			
16	090	4	10	BKN	2984	82	75	8	1000	Sc			
17	090	4	10	BKN	2984	82	75	8	1000	Sc			
18	090	4	10	BKN	2986	81	74	8	1000	Sc			
19	090	4	10	BKN	2987	81	74	8	1000	Sc			
20	090	4	10	BKN	2989	80	73	8	1000	Sc			
21	090	2	10	BKN	2990	80	72	8	1000	Sc			
22	090	2	10	BKN	2990	77	72	8	1000	Sc			
23	090	1	10	BKN	2990	76	71	8	1000	Sc			
24	090	1	10	BKN	2988	76	70	8	1000	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN FORWARD, US ~~NAVAL STATION~~ SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. RECEIVING ELECTRICIAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PACFLT. RH

LTJG L.E. Horton USN

Φ4-Φ8 MOORED AS BEFORE. Φ715 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE Φ73Φ EXERCISED CREW AT GENERAL QUARTERS. SET MATERIAL CONDITION ZEBRA.

LTJG L.E. Horton, USN

APPROVED:

LT. James R. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg R.D. Mann U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki — Monday (Day) 23 (Date) Nov (Month) 19 64

08-12 Moored as before. 0901 Set Material condition Yoke. 0907 Secured from General Quarters. 1047 Made daily inspection of magazine; conditions normal.

Ltjg RS Mason, USN

12-16 Moored as before

Ltjg RS Mason, USN

16-20 Moored as before. 1800 Set Material condition Yoke (Modified) 1815 Hold Fire Drill. 1825 Secured from fire drill.

Ltjg RS Mason, USN

20-24 Moored as before.

Ltjg RS Mason, USN

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 24 (Date) Nov (Month), 19 54

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	2	10	BKN	2989	78	76	8	2000	CU			
02	090	2	10	BKN	2989	78	76	8	2000	CU			
03	090	2	10	BKN	2987	78	76	8	2000	CU			
04	090	2	10	BKN	2989	78	76	8	2000	CU			
05	090	2	10	BKN	2989	78	76	8	2000	CU			
06	090	2	10	BKN	2989	78	76	8	2000	CU			
07	060	2	10	SCT	2990	78	74	5	2000	CU			
08	060	2	10	SCT	2990	80	74	5	2000	CU			
09	060	4	10	SCT	2990	81	74	5	2000	CU			
10	060	4	10	SCT	2990	82	74	5	2000	CU			
11	060	4	10	SCT	2987	82	74	5	2000	CU			
12	180	8	10	BKN	2985	82	75	8	2000	CU			
13	060	8	10	BKN	2983	82	76	8	2000	CU			
14	060	8	10	BKN	2980	82	76	8	2000	CU			
15	060	8	10	BKN	2980	82	76	8	2000	CU			
16	060	8	10	BKN	2980	82	76	8	2000	CU			
17	060	6	10	BKN	2980	82	76	8	2000	CU			
18	040	3	10	BKN	2980	82	76	8	2000	CU			
19	040	3	10	BKN	2980	82	76	8	2000	CU			
20	060	6	10	BKN	2983	79	74	7	2000	CU			
21	060	6	10	BKN	2986	78	73	7	2000	CU			
22	060	6	10	BKN	2987	78	73	7	2000	CU			
23	060	6	10	BKN	2987	78	73	7	2000	CU			
24	040	7	10	BKN	2984	78	73	7	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth sierra eighteen fwd, U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water, electrical and telephone services from the pier. Material condition Yoke modified is set. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CINCPACFLT.

Lt(jg) RS Mason, USN

04-08 Moored as before. 0715 Mustered the crew at quarters: absentees: none. 0735 Set condition III 0747 Exercise fire slip at general quarters. 0753 Set material condition Zebra.

Lt(jg) RS Mason, USN

APPROVED:

Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED:

Lt(jg) RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Tuesday 24 November 19 67
(Day) (Date) (Month)

0800-12 Moored as before ~~Made daily~~ ~~Exercised the crew at general quarters~~ 0940 Secured from General Quarters * 1114 Made daily inspection of the magazines. Condition: Normal. * Set Material condition Yoke.

Ens C.P. McKenzie, USNR

12-~~16~~ Moored as before. 1515 Held fire drill. 1600 Secured from fire drill.

Ens C.P. McKenzie, USNR

16-20 Moored as before. 1800 Set condition yoke modified. 1730 COMASWFORPAC assumed duties as SOPA.

Ens C.P. McKenzie, USNR

20-24 Moored as before.

Ens C.P. McKenzie, USNR

APPROVED: Lt. Comdr. Robertson U.S.N. COMMANDING

EXAMINED: Lt(jg) R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Wednesday (Day) 25 (Date) November (Month) 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	BKN	2983	77	71	6	2000	CU			
02	040	7	10	BKN	2982	77	71	6	2000	CU			
03	055	7	10	BKN	2982	75	70	6	2000	CU			
04	055	7	10	BKN	2983	75	70	6	2000	CU			
05	055	7	10	BKN	2982	76	70	6	2000	CU			
06	055	7	10	BKN	2982	77	70	6	2000	CU			
07	055	7	10	BKN	2984	77	73	6	2000	CU			
08	090	4	10	BKN	2985	78	74	6	2000	CU			
09	100	5	10	BKN	2987	80	74	6	2000	CU			
10	100	5	10	BKN	2987	84	75	6	2000	CU			
11	100	10	10	BKN	2987	83	76	6	2000	CU			
12	130	5	10	BKN	2987	84	74	5	3000	CU			
13	130	5	10	BKN	2984	82	75	6	2000	CU			
14	130	5	10	BKN	2983	82	75	6	2000	CU			
15	150	5	10	BKN	2982	80	75	6	2000	CU			
16	140	5	10	BKN	2983	80	75	8	1800	CU			
17	140	5	10	BKN	2984	80	75	8	1800	CU			
18	150	4	10	BKN	2984	77	74	8	1800	CU			
19	170	8	10	BKN	2984	77	74	8	1800	CU			
20	165	7	10	BKN	2984	78	74	8	1800	CU			
21	165	7	10	BKN	2987	78	74	8	1800	CU			
22	165	7	10	BKN	2987	78	74	8	1800	CU			
23	175	8	10	BKN	2987	77	74	8	1800	CU			
24	140	7	10	BKN	2987	77	74	7	1800	CU			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 Moored starboard side to in berth Sierra Eighteen Forward (S-18-F) U.S. Naval Submarine Base Pearl Harbor, Hawaii with standard mooring lines doubled Material Condition yoke modified is set. Receiving fresh water, electrical and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet district and yard craft. SOPA is ~~CinCPacFlt~~ COMASWFORPAC

Ens C.P. McKenzie, USNR

04-08 Moored as before. 0715 Mustered the crew at quarters. Absentees: None. 0730 Exercised the crew at General Quarters. SET MATERIAL CONDITION ZEBRA

Ens C.P. McKenzie USNR

APPROVED:

Lt. James L. Williams U.S.N. COMMANDING

EXAMINED:

Glyn P. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Wednesday (Day) 25 (Date) Nov. (Month) 19 64

0800-1200 Moored As Before. 0924 Set Modified Material Condition Yoke. Secured From General Quarters. 1110 Made Daily Inspection of Magazines: Conditions: Normal.

LTJG L.E. Horton USN

1200-1600 Moored As Before.

LTJG L.E. Horton USN

1600-2000 Moored As Before 1800 Set Modified Material Condition Yoke. 1808 Conducted Fire Drill. 1842 Secured From Fire Drill.

LTJG L.E. Horton USN

2000-2400 Moored As Before

LTJG L.E. Horton USN

APPROVED:

Lt. James R. Hutchinson U.S.N. COMMANDING

EXAMINED:

Lt(jg) D.S. Nash U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THRUSDAY 26 NOV (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	120	6	10	BKN	2986	80	77	6	2000	Cu			
02	100	5	10	BKN	2985	77	74	6	2000	Cu			
03	090	4	10	BKN	2984	74	74	6	2000	Cu			
04	090	4	10	BKN	2982	76	74	6	2000	Cu			
05	090	4	10	BKN	2981	76	74	6	2000	Cu			
06	130	4	10	BKN	2982	75	73	6	2000	Cu			
07	130	4	10	BKN	2982	76	72	6	2000	Cu			
08	130	4	10	BKN	2982	76	71	6	2000	Cu			
09	130	4	10	BKN	2982	76	71	6	2000	Cu			
10	130	4	10	BKN	2982	76	71	6	2000	Cu			
11	130	4	10	BKN	2982	80	72	6	2000	Cu			
12	130	4	10	BKN	2983	81	72	6	2000	Cu			
13	130	4	10	BKN	2981	80	72	7	2000	Cu			
14	100	4	10	BKN	2980	80	72	7	2000	Cu			
15	100	3	10	BKN	2980	80	71	7	2000	Cu			
16	100	3	10	BKN	2981	80	71	7	2000	Cu			
17	100	3	10	BKN	2982	80	71	7	2000	Cu			
18	100	3	10	BKN	2982	81	71	7	2000	Cu			
19	095	3	10	BKN	2982	81	71	8	2000	Cu			
20	095	3	10	R	2982	81	70	8	2000	Cu			
21	090	3	10	R	2982	81	71	8	2000	Cu			
22	095	3	10	R	2982	81	71	8	2000	Cu			
23	095	3	10	R	2982	80	71	8	2000	Cu			
24	095	1	10	R	2982	80	71	8	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0400-12 MOORED STARBOARD SIDE TO IN BERTH SIERRA ELIGATEEN (FORWARD) U.S. SUBMARINE BASE PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING ELECTRICAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS ~~COMAND BASE PEARL~~. COMASWFORPAC. LEH

LTJG L.E. Horton USN

04-08 12-16 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS: ABSENTEES: NONE. LEH

LTJG L.E. Horton USN.

APPROVED: LT James R. Jakeman U.S.N. COMMANDING

EXAMINED: Lt(jg) P.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 26 (Date) November (Month) 19 64

08-12 moored as before. 0915 made daily inspection of magazines. Conditions: Normal.

CWO J.L. Hollis, USN

12-16 moored as before.

CWO J.L. Hollis, USN

16-20 moored as before. 1800 set material condition yoke (modified)

CWO J.L. Hollis, USN

20-24 moored as before.

CWO J.L. Hollis, USN

APPROVED: Lt. James R. Tabellion U.S.N. COMMANDING

EXAMINED: Ltjg D.S. Nason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ~~ABNAKI~~ (ATF-96) ZONE DESCRIPTION +10-W DATE FRIDAY (Day) 27 (Date) November (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	140	2	10	Sct	2983	76	72	4	2000	Cu			
02	140	2	10	Sct	2983	75	73	4	2000	Cu			
03	140	2	10	Sct	2982	74	73	4	2000	Sc			
04	140	2	10	Sct	2981	74	71	5	2000	Sc			
05	140	3	10	R	2981	74	71	7	2000	St			
06	140	3	10	R	2982	75	72	7	2000	St			
07	140	3	10	R	2983	75	72	7	2000	St			
08	140	3	10	BKN	2985	75	74	6	2000	St			
09	140	3	10	BKN	2987	83	77	6	2000	Sc			
10	140	3	10	BKN	2989	83	77	6	2000	Sc			
11	180	2	10	BKN	2990	82	76	6	2000	Sc			
12	180	2	10	BKN	2989	82	77	6	2000	Sc			
13	220	4	10	BKN	2990	82	77	6	2000	Sc			
14	220	4	10	BKN	2987	83	74	7	2000	Sc			
15	220	4	10	BKN	2984	83	74	7	2000	Sc			
16	220	4	10	BKN	2980	83	74	7	2000	Sc			
17	220	4	10	BKN	2977	79	72	7	2000	Sc			
18	220	4	10	BKN	2980	78	72	6	2000	Sc			
19	220	4	10	BKN	2982	78	73	6	2000	Cu			
20	220	4	10	BKN	2984	77	73	6	2000	Cu			
21	220	4	10	BKN	2984	77	72	7	2000	Cu			
22	220	4	10	BKN	2986	76	72	7	2000	Cu			
23	220	4	10	BKN	2988	76	71	6	2000	Cu			
24	220	4	10	BKN	2988	76	71	6	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored starboard side to berth Sierra Eighteen (S-18) U.S. naval Submarine Base Pearl Harbor, Hawaii with std. mooring lines doubled. Material condition yoke (modified) set. Receiving Electrical power, potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet District and Small Craft. S.O.P.A. is ~~CinCPacFlt~~ COMASWFORPAC

CWO J.D. Hollis, USN

04-08 moored as before. 0715 mustered the crew at Quarters. Absentees: None. 0737 Exercised the crew at General Quarters. Set Material Condition Zebra.

CWO J.D. Hollis, USN

APPROVED:

LT. James R. Williams U.S.N. COMMANDING

EXAMINED:

Hoyt D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Friday (Day) 27 (Date) Nov (Month) 19 64

08-12 Moored as before. 0930 Set material condition Yoke. 0933 Secured fm General Quarters. 1050 Made daily inspection of magazine; conditions normal. Conducted weekly test of magazine sprinkler, test satisfactory.

Lt(jg) R S Mason, USN

12-16 Moored as before.

Lt(jg) R S Mason, USN

16-20 Moored as before. 1800 Set material condition Yoke modified.

Lt(jg) R S Mason, USN

20-24 Moored as before.

Lt(jg) R S Mason, USN

APPROVED: Lt. James R. Hutchinson U.S.N. COMMANDING

EXAMINED: Lt(jg) R S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abraham (ATF-96) ZONE DESCRIPTION +10W DATE Saturday (Day) 28 (Date) November (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	4	10	R	2984	73	71	7	2000	SC			
02	220	4	10	R	2984	75	71	7	2000	ST			
03	220	4	10	R	2984	75	71	7	2000	ST			
04	220	4	10	R	2983	75	71	7	2000	ST			
05	220	4	10	R	2983	77	72	7	2000	ST			
06	220	8	10	R	2983	77	72	6	2000	ST			
07	000	8	10	L	2984	78	72	6	2000	ST			
08	010	10	10	Sct	2985	75	72	5	2000	ST			
09	020	12	10	Sct	2986	77	73	5	2000	St			
10	000	11	10	Sct	2987	79	73	5	2000	Cu			
11	000	10	10	Sct	2987	84	73	5	2000	Cu			
12	000	7	10	Sct	2988	85	75	5	2000	Cu			
13	040	8	10	Sct	2989	84	77	5	2000	Cu			
14	040	8	10	Sct	2990	83	78	5	2000	Cu			
15	080	8	10	Sct	2990	81	77	5	2000	Cu			
16	100	4	10	BKN	2990	80	76	6	2000	Cu			
17	080	4	10	BKN	2988	80	74	6	2000	Cu			
18	060	8	10	BKN	2987	77	74	6	2000	Cu			
19	050	6	10	BKN	2988	78	74	6	2000	Cu			
20	040	7	10	BKN	2990	77	72	7	2000	Cu			
21	040	4	10	BKN	2991	77	72	7	2000	Cu			
22	040	4	10	BKN	2992	76	72	7	2000	Cu			
23	040	4	10	BKN	2992	76	72	7	2000	Cu			
24	040	4	10	BKN	2992	76	72	7	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Siena anchor fwd U.S. Naval Submarine Base, Pearl Harbor Hawaii, with Standard mooring lines doubled. Material condition Yoke Modified is set. Receiving fresh water, electrical and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and district craft. SOPA is COMASWFORPAC.

Slgy D.S. Mason, USN

04-08 Moored as before. 0745 Mustered the crew on Stations absentees: None

Slgy D.S. Mason, USN

APPROVED: Lt. James A. Williams U.S.N. COMMANDING

EXAMINED: Slgy D.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) SATURDAY (Day) 28 (Date) NOV (Month), 19 64

0800-1200 Moored as before. 0930 Made daily inspection of the magazines Conditions: Normal.

Ens C.P. McKenzie, USNR

1200-1600 Moored as before.

Ens C.P. McKenzie, USNR

1600-2000 Moored as before. 1800 set condition yoke modified.

Ens C.P. McKenzie, USNR

2000-2400 Moored as before.

Ens C.P. McKenzie, USNR

APPROVED: Lt. James R. Blackburn U.S.N. COMMANDING

EXAMINED: Lt(jg) R.S. Nash U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF 96) ZONE DESCRIPTION +10W DATE Sunday (Day) 29 (Date) Nov (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	BKN	2992	75	72	6	2000	Cu			
02	040	1	10	BKN	2994	75	72	6	2000	Cu			
03	040	1	10	BKN	2992	75	72	6	2000	Cu			
04	040	3	10	BKN	2991	74	72	7	2000	Cu			
05	040	3	10	BKN	2989	73	70	7	2000	Cu			
06	040	3	10	BKN	2989	71	69	7	2000	Cu			
07	040	3	10	BKN	2990	74	71	6	2000	Cu			
08	040	3	10	BKN	2992	75	71	6	2000	Cu			
09	040	2	10	BKN	2993	80	76	6	2000	Cu			
10	040	1	10	BKN	2996	80	74	6	2000	Cu			
11	040	1	10	Sct	2996	80	74	5	2000	Cu			
12	040	1	10	Sct	2997	82	74	5	2000	Cu			
13	040	1	10	Sct	2997	80	74	5	2000	Cu			
14	040	1	10	Sct	2997	81	74	5	2000	Cu			
15	040	3	10	Sct	2997	82	74	4	2000	Cu			
16	040	3	10	Sct	2996	80	74	4	2000	Cu			
17	040	3	10	Sct	2995	80	74	4	2000	Cu			
18	040	3	10	Sct	2994	80	74	4	2000	Cu			
19	040	3	10	Sct	2992	80	74	4	2000	Cu			
20	040	3	10	Sct	2993	78	74	4	2000	Cu			
21	040	3	10	Sct	2994	77	74	4	2000	Cu			
22	040	3	10	Sct	2994	75	74	4	2000	Cu			
23	040	3	10	Sct	2995	75	71	4	2000	Cu			
24	040	3	10	Sct	2995	75	71	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

0

FUEL CONSUMED 0000–2400

Ø

REMARKS

ØØ-Ø4 Moored starboard side to in berth Seven Eighteen forward (S-18-F) U.S. Naval Submarine Base Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition yoke modified is set. Receiving Potable water, electrical and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet Destroyer and yard craft. SOPA is ComSubsFor Pac.

Ens C.P. McKenzie, USNR

Ø4-Ø8 Moored as before. Ø745 Mustered the crew on stations absentees: none.

Ens C.P. McKenzie, USNR

APPROVED:

Lt. [signature] U.S.N. COMMANDING

EXAMINED:

Lt(jg) [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF 96 Sunday (Day) 29 (Date) Nov (Month) 19 64

0800-12 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS: NORMAL

LTJG LE Horton USN

12-16 MOORED AS BEFORE.

LTJG LE Horton USN

16-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOICE.

LTJG LE Horton USN

2000-2400 MOORED AS BEFORE.

LTJG LE Horton USN

APPROVED:

Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED:

Ltjg D S Ross U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abrahi CATF-96 ZONE DESCRIPTION +10W DATE Monday (Day) 30 (Date) Nov (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	2992	77	74	4	2000	Cu			
02	040	2	10	Sct	2992	77	73	4	2000	Cu			
03	040	2	10	Sct	2992	77	73	4	2000	Cu			
04	040	2	10	Sct	2992	75	73	4	2000	Cu			
05	040	2	10	Sct	2993	76	74	4	2000	Cu			
06	040	2	10	Sct	2993	76	74	4	2000	Cu			
07	040	3	10	Sct	2993	77	74	4	2000	Cu			
08	050	3	10	Sct	2995	77	74	4	2000	Cu			
09	050	3	10	Sct	2998	80	74	4	2000	Cu			
10	050	3	10	Sct	2998	80	74	4	2000	Cu			
11	050	7	10	Sct	2999	82	74	4	2000	Cu			
12	065	8	10	Sct	2998	82	74	4	2000	Cu			
13	060	10	10	Sct	2999	83	74	4	2000	Cu			
14	060	11	10	Sct	2998	83	74	4	2000	Cu			
15	050	10	10	Sct	2997	83	74	4	2000	Cu			
16	040	6	10	Sct	2997	84	74	4	2000	Cu			
17	040	5	10	Sct	2996	82	74	4	2000	Cu			
18	040	4	10	Sct	2996	81	74	4	2000	Cu			
19	040	4	10	Sct	2996	80	74	4	2000	Cu			
20	040	4	10	Sct	2996	80	74	4	2000	Cu			
21	040	4	10	Sct	2996	80	74	4	2000	Cu			
22	040	4	10	Sct	2997	80	74	4	2000	Cu			
23	040	4	10	Sct	2998	78	77	4	2000	Cu			
24	040	4	10	Sct	2997	77	74	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 6

FUEL CONSUMED 0000-2400: 650

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN FORWARD WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOICE SET. RECEIVING ELECTRICAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS ~~CINCPACFLT~~ COMASW DEN FORPAC

LTJG L C Horton USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE

LTJG L C Horton USN.

APPROVED: Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED: Lt(jg) D S Moore U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abradi (ATF-96) Monday (Day) 30 (Date) Nov. (Month) 19 64

08-12 Moored as before. 0839 made daily inspection of magazines. Conditions: Normal. 1100 commenced preperations for getting underway. 1130 set the special sea and anchor detail. Draft: fwd; 14'-0" aft; 15'-8". OOD has the Comm, Captain and navigator on the Bridge. 1141 #2 MWB away for Buoy 12X-S. 1142 All stations manned & ready. 1155 commenced maneuvering to clear berth. 1159 Underway in accordance with COMFLTRAGRU OP-ord-49-64, maneuvering at various speeds and courses to lead fair in the channel.

CWO J L Hollis USN.

12-16 Underway as before. 1205 Base speed 6.7 Kts course 310°. 1215 Base course 260°. 1219 C/S 9.5 Kts. 1222 entering middle lock channel - Steering various courses to approach Buoy 12 X-Ray-South. 1223 Base course 030°. 1245 Buoy 12 X-Ray off port Beam 25 yards - commence maneuvers to conduct exercise Z-41-S laying Black gear. 1319 anchored by port anchor in 6 fathoms of water, mud bottom, Bearing 165° from Buoy 12-X-Ray, distance 1400 feet. 1349 Towing Hawser made fast to Buoy. 1353 Anchor away. Maneuvering - 1404 Ells anchor let go. 1408 Underway maneuvering to recover gear. 1509 anchored by port anchor - 6 fathoms of water mud bottom - 15 fathoms of chain on deck on following bearings Sub-Base tower 153°, Ford Island control tower 182°, Ford Island Right tangent 296°, recovering Ells anchor + gear. 1510 received report of personnel injury: Witzler, Kenneth Jr, SA, 391-18-19 while driving a steel wedge is a carpenter stoper at 1430 received a steel metal fragment from the sledge hammer in the left deltoid. Treatment: Removed foreign body, Cleaned - closed wound with 3-4-0 sutures, applied dry sterile dressing + returned to duty.

CWO JL Hollis. USN

16-20 Anchored as before. 1606 Underway - all gear secured. proceeding at various speeds on various courses up the middock Channel to alfa piers. Lieut. McKenzie has the Comm, Captain + navigator are on the Bridge. 1620 Base course 180°, 1625 passing degaussing station to stbd 150 yards. 1634 Commenced approach to alfa three berth. 1644 Captain has the comm. 1647 moored stbd. side to Berth alfa three A-3. U.S. Naval Station, Pearl Harbor, Hawaii with four sfd mooring lines - 1652 all lines doubled - Secured the Special Sea and Anchor details. Set the Inport Watch. 1830 set material condition yoke (modified)

CWO JL Hollis, USN

APPROVED: Lt. James L. Adkisson U.S.N. COMMANDING

EXAMINED: Ltjg R S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 30 (Date) November (Month) 19 64

20-24 moored as before.

CWO Jack Hollis USN

APPROVED:

LT. [signature] U.S.N. COMMANDING

EXAMINED:

[signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR